

Brand	Category Style	MODEL NUMBER	DESCRIPTION / FREQUENCY	LIST/ MSRP
MM	Covert	CVL-WLF-2C-BLK-96 (Replaced CV5&CVO-900)	NEW - MULTI-Band Covert 4G-LTE Strip Antenna, 694-960/1700-2700, 8 feet RG-174 with SMA-plug	\$46.55
MM	Covert	CVL-WB2-7C-BLK-96 (Preliminary)	NEW - 5G Sub 6 LTE MULTI-Band Covert Antenna, 617-960/1700-2700, 8 feet LMR-100 with SMA-plug	\$67.20
MM	Covert	CVW-UMB-2000-BLK-120	MultiBand Covert Strip Antenna (800-960/1700-2200 MHz), w/ 10 feet RG-174 with SMA-plug	\$42.45
MM	Covert	HD3-915-3C-BLK-36	Low Profile Heavy Duty ISM Antenna, 3 dBi, 3 ft LL-195 and SMA-plug, 902-928 MHz (Special Order - Longer Lead times Apply)	\$147.70
MM	Covert	SM-837-3C-WHT-180	Surface Mount low profile Antennas for Trunking, 15 feet LL-195 with SMA connector (806-870 MHz)	\$95.20
MM	Covert	SM-900-3C-WHT-180	Surface Mount low profile Antennas for Cellular, 15 feet LL-195 with SMA connector (824-894 MHz)	\$101.60
MM	Covert	SM-925-3C-WHT-180	Surface Mount low profile Antennas for GSM, 15 feet LL-195 with SMA connector (870-960 MHz)	\$101.60
MM	Covert	RM3-900-3C-BLK-12	Surface Mount medium profile for Trunking/Cellular/GSM, 1 foot LL-195 with SMA (800-1000 MHz)	\$75.35
MM	Covert	DM2-1800-3C-WHT-12	Low Profile Dome Antenna, 2 dBi antenna with 1 foot LL-195 pigtail, SMA connector, 1.71-1.88 GHz	\$64.60
MM	Covert	DM2-1900-3C-WHT-12	Low Profile Dome Antenna, 2 dBi antenna with 1 foot LL-195 pigtail, SMA connector, (1.85-1.99 GHz)	\$64.60
MM	Covert	SM-837/1900-3C-WHT-180	Dual Band SMR/PCS Surface Mount low profile, 15' LL-195 with SMA connector (806-870/1850-1990 MHz)	\$101.60
MM	Covert	SM-900/1900-3C-WHT-180	Dual Band Cell/PCS Surface Mount low profile, 15' LL-195 with SMA connector (824-894/1850-1990 MHz)	\$101.60
MM	Covert	SM-925/1800-3C-WHT-180	Dual Band GSM/DCS Surface Mount low profile, 15' LL-195 with SMA connector (880-960/1710-1880 MHz)	\$101.60
MM	Covert	SM-925/1900-3C-WHT-180	Dual Band GSM/PCS Surface Mount low profile, 15' LL-195 with SMA connector (880-960/1850-1990 MHz)	\$101.60
MM	Covert	RM3-900/1900-3C-BLK-12	Dual Band 3 dBi CELL/PCS Surface Mount medium profile, 1 ft LL-195 with SMA (824-894/1850-2170 MHz)	\$75.35
MM	Covert	RM3-900/1900-DN-BLK	Dual Band 3 dBi CELL/PCS Surface Mount medium profile, Direct N-female (824-894/1850-2170 MHz)	\$84.55
MM	Covert	RM3-900/1900-OR-BLK-10	Dual Band 3 dBi CELL/PCS Surface Mount medium profile, 10 in RG-178 with U.FL (824-894/1850-2170 MHz)	\$96.10
MM	Covert	RM3-925/1800-3C-BLK-12	Dual Band 3 dBi GSM/DCS Surface Mount medium profile, 1 ft LL-195 with SMA (880-960/1710-1880 MHz)	\$75.35
MM	Covert	RM3-925/1800-DN-BLK	Dual Band 3 dBi GSM/DCS Surface Mount medium profile, Direct N-female (880-960/1710-1880 MHz)	\$84.55
MM	Covert	RM3-925/1800-OR-BLK-10	Dual Band 3 dBi GSM/DCS Surface Mount medium profile, 10 in RG-178 with U.FL (880-960/1710-1880 MHz)	\$96.10
MM	Covert	RMM-UMB-3C-BLK-12	BroadBand 3 dBi Surface Mount medium profile Antenna, 1ft LL-195 with SMA (750-1250/1650-2700 MHz)	\$75.35
MM	Covert	RMM-UMB-DN-BLK	BroadBand 3 dBi Surface Mount medium profile Antenna, Direct N-female (750-1250/1650-2700 MHz)	\$84.55
MM	Covert	RM3-900/1900-BLK-SP156	Dual Band 3 dBi CDPD/PCS Surface Mount medium profile Antenna, w/ RG-405 Cable/SMA	\$103.70
MM	Covert	LLP202-3C3C-BLK-12	NEW - Global MIMO LTE LLP Low Profile Series (2 cables) - 694-960/1710-3700 MHz (x2), 12 inches LL-195 with SMA-plug connectors	\$185.60
MM	Covert	MRRM-UMB-3C-BLK-12	Micro BroadBand Dome Antenna, with 1 foot LL-195 pigtail, with SMA (1.7-6 GHz)	\$64.60
MM	Covert	LMW201-3C00-WHT-180	NEW - Low Profile LTE Antenna, 15 feet LL-195 with SMA, (695-960/1710-2700 MHz)	\$134.50
MM	Covert	LMW-UMB-3C00-WHT-180	Low Profile WideBand Antenna, 15 feet LL-195 with SMA, (800-2200 MHz)	\$134.50
MM	Covert	RM-WLF-3C-BLK-12	LTE Broad Band antenna with 1ft LL-195 cable and SMA (694-894/1700-2700 MHz)	\$75.35
MM	Covert	RM-WLF-DN-BLK	LTE Broad Band antenna with Direct N-female (694-894/1700-2700 MHz)	\$92.15
MM	Covert	RM-WB1-3C-BLK-12	NEW - LTE Sub6 Broad Band surface mount antenna with 1ft LL-195 cable and SMA-plug (617-960/1700-6000 MHz)	\$129.15
MM	Covert	RM-WB1-DN-BLK	NEW - LTE Sub6 Broad Band surface mount antenna with Direct N-female (617-960/1700-6000 MHz)	\$144.65
MM	Mag Mount	MGD-900/1900-3C-BLK-120	Mag Mount Dome Antenna for US Cell/PCS, 10 ft LL-195 cable and SMA (824-894/1850-1990 MHz)	\$88.15
MM	Mag Mount	MGD-925/1800-3C-BLK-120	Mag Mount Dome Antenna for Eu GSM/DCS, 10 ft LL-195 cable and SMA (880-960/1710-1880 MHz)	\$88.15
MM	Mag Mount	MGRM-900/1900-3C-BLK-120	RM Style Dual Band Mag Moutn for US Cell/PCS, 10 ft LL-195 and SMA (824-894/1850-2170 MHz)	\$116.65
MM	Mag Mount	MGRM-925/1800-3C-BLK-120	RM Style Dual Band Mag Moutn for Eu GSM/DCS, 10 ft LL-195 and SMA (880-960/1710-1880 MHz)	\$116.65
MM	Mag Mount	MGRM-UMB-3C-BLK-120	BroadBand RM Style Mag Mount, 10 ft LL-195 cable and SMA (750-1250/1650-2700 MHz)	\$116.65
MM	Mag Mount	MAG2-UMB-2C-BLK-120	BroadBand Micro Mag Mount, 10 ft RG-174 cable and SMA (824-894/1700-2200 MHz)	\$53.90
MM	Mag Mount	MGRM-WLF-3C-BLK-120	LTE Broad Band Mag Mount antenna with 10ft LL-195 cable and SMA (694-894/1700-2700 MHz)	\$119.00
MM	Mag Mount	MGRM-WB1-3C-BLK-120	NEW - LTE Sub6 Broad Band magnet mount antenna with 10ft LL-195 cable and SMA-plug (617-960/1700-6000 MHz)	\$180.95
MM	Mag Mount	IMAG5-1800-3C-BLK-120	Mag antenna, 5 dBi with 10 ft low loss LL-195 cable, SMA-plug (1.77-1.87 GHz)	\$84.70
MM	Mag Mount	IMAG5-1900-3C-BLK-120	Mag antenna, 5 dBi with 10 ft low loss LL-195 cable, SMA-plug (1.85-1.99 GHz)	\$84.70
MM	Device	PSTG0-8685F	Portable DRONE/UAV Antenna, Quarterwave, with SMA-Jack, (865-870 MHz)	\$21.55
MM	Device	PSTG0-9155F	Portable DRONE/UAV Antenna, Quarterwave, with SMA-Jack, (902-928 MHz)	\$21.55
MM	Device	PSTG0-9255F	Portable DRONE/UAV Antenna, Quarterwave, with SMA-Jack, (870-960 MHz)	\$21.55
MM	Device	PSTG0-13505F	Portable DRONE/UAV Antenna, Quarterwave, with SMA-Jack, (1350-1390 MHz)	\$21.55
MM	Device	PSTG0-16505F	Portable DRONE/UAV Antenna, Quarterwave, with SMA-Jack, (1625-1725 MHz)	\$21.55
MM	Device	PSTG2-433T	Rubber Duck Straight Antenna, quarter-wave, with Male TNC, (420-470 MHz)	\$21.65
MM	Device	PSTG0-900HKS	Helical Stub Antenna, with knurled SMA, (824-894 MHz)	\$13.25
MM	Device	PSTG0-900SE	( MIN Order 250pc ) Portable Antenna, Quarterwave, with SMA Plug, (824-894 MHz) - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Device	PSTG-9155	Full Quarterwave Straight Molded Antenna, with SMA Male Connector	\$18.75
MM	Device	PSTG-915RS	Full Quarterwave Straight Molded Antenna, with Rev Pol SMA Plug Connector	\$21.55
MM	Device	PSK3-900T	Rubber Duck Knuckle Antenna, half-wave, with Male TNC, (824-894 MHz)	\$21.65
MM	Device	PSK3-900S	Rubber Duck Knuckle Antenna, half-wave, with Male SMA, (824-894 MHz)	\$21.65
MM	Device	PSN3-925T	Rubber Duck Straight Antenna, half-wave, with Male TNC, (870-960 MHz)	\$26.95
MM	Device	PSN3-925S	Rubber Duck Straight Antenna, half-wave, with Male SMA, (870-960 MHz)	\$26.95
MM	Device	PSK3-925RS	Rubber Duck Knuckle Antenna, half-wave, with Reverse SMA Plug, (870-960 MHz)	\$24.35
MM	Device	PSK3-925RT	Rubber Duck Knuckle Antenna, half-wave, with Reverse TNC Plug, (870-960 MHz)	\$24.35
MM	Dual Band Device	PSTG0-900/1900HKS	Dual Band Stub Antenna, SMA connector, (824-894 MHz ) plus (1850-1990 MHz)	\$16.20
MM	Dual Band Device	PSTG0-925/1800HKS	Dual Band Stub Antenna, SMA connector, (880-960 MHz ) plus (1710-1880 MHz)	\$16.20
MM	Dual Band Device	PSTG0-925/1900HKS	Dual Band Stub Antenna, SMA connector, (880-960 MHz ) plus (1850-1990 MHz)	\$16.20
MM	Dual Band Device	PSTG0-1950/2140HKS	Dual Band 3G Stub Antenna, SMA connector, (1920-1980 MHz ) plus (2110-2170 MHz)	\$16.20
MM	Dual Band Device	PSK3-900/1900S	Dual Band Halfwave Antenna, SMA connector, (806-894 MHz ) plus (1850-1990 MHz)	\$23.30
MM	Dual Band Device	PSK3-900/1900RS	Dual Band Halfwave Antenna, Reverse SMA connector, (806-894 MHz ) plus (1850-1990 MHz)	\$26.00
MM	Dual Band Device	PSK3-900/1900T	Dual Band Halfwave Antenna, TNC connector, (806-894 MHz ) plus (1850-1990 MHz)	\$23.30
MM	Dual Band Device	PSK3-900/1900RT	Dual Band Halfwave Antenna, Reverse TNC connector, (806-894 MHz ) plus (1850-1990 MHz)	\$26.00
MM	Dual Band Device	PSK3-925/1800S	Dual Band Halfwave Antenna, SMA connector, (880-960 MHz ) plus (1710-1880 MHz)	\$23.30
MM	Dual Band Device	PSK3-925/1800RS	Dual Band Halfwave Antenna, Reverse SMA connector, (880-960 MHz ) plus (1710-1880 MHz)	\$26.00
MM	Dual Band Device	PSK3-925/1800T	Dual Band Halfwave Antenna, TNC connector, (880-960 MHz ) plus (1710-1880 MHz)	\$23.30
MM	Dual Band Device	PSK3-925/1800RT	Dual Band Halfwave Antenna, Reverse TNC connector, (880-960 MHz ) plus (1710-1880 MHz)	\$26.00
MM	Dual Band Device	PSK3-700/2100S	LTE Broad Band Halfwave Antenna, Knuckle Swivel SMA connector, (694-960 MHz ) plus (1710-2170 MHz)	\$26.00
MM	Dual Band Device	PSK3-700/2700S	LTE Broad Band Halfwave Antenna, Knuckle Swivel SMA connector, (694-960 MHz ) plus (1710-2700 MHz)	\$26.00
MM	Dual Band Device	PSK5-626-5	NEW - 5G LTE Broad Band Halfwave Antenna, Knuckle Swivel SMA connector, (617-6000 MHz )	\$28.45
MM	Dual Band Device	PSN3-900/1900S	NEW - Broad Band Halfwave Antenna, Fixed STRAIGHT SMA connector, (806-894 MHz ) plus (1850-1990 MHz)	\$38.10
MM	Dual Band Device	PSNRA3-900/1900S	NEW - Broad Band Halfwave Antenna, Fixed RIGHT ANGLE SMA connector, (806-894 MHz ) plus (1850-1990 MHz)	\$38.10
MM	Dual Band Device	PSN3-700/2100S	NEW - Broad Band Halfwave Antenna, Fixed STRAIGHT SMA connector, (694-960 MHz ) plus (1710-2170 MHz)	\$40.80
MM	Dual Band Device	PSNRA3-700/2100S	NEW - Broad Band Halfwave Antenna, Fixed RIGHT ANGLE SMA connector, (694-960 MHz ) plus (1710-2170 MHz)	\$40.80
MM	Dual Band Device	PSK3-700/2700N	NEW - LTE Broad Band Halfwave Antenna, Knuckle Swivel N-plug connector, (694-960 MHz ) plus (1710-2700 MHz)	\$39.50
MM	Dual Band Device	PSN3-700/2700N	NEW - Broad Band Halfwave Antenna, Fixed STRAIGHT N-plug connector, (694-960 MHz ) plus (1710-2700 MHz)	\$54.35
MM	Device	PSK3-1800T	Rubber Duck Knuckle, half-wave, with Male TNC, (1.75-1.85 GHz)	\$21.65
MM	Device	PSK3-1800S	Rubber Duck Knuckle Antenna, half-wave, with Male SMA, (1.75-1.85 GHz)	\$21.65
MM	Device	PSTN3-1800S	Rubber Duck antenna, half-wave, with SMA connector, (1.75-1.85 GHz)	\$32.30
MM	Device	PSK3-1900T	Rubber Duck Knuckle, half-wave, with Male TNC, (1850-1990 MHz)	\$21.65
MM	Device	PSK3-1900S	Rubber Duck Knuckle Antenna, half-wave, with Male SMA, (1850-1990MHz)	\$21.65
MM	Device	PSTG0-900/1900 MS	( MIN Order 250pc ) Tuned 1/4 wave dual band antenna, SMA - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Device	PSGN-2000S	Flexible 3 dBi Gooseneck Portable Antenna, 1500-2700 MHz, SMA-plug - Longer lead times apply (100 pc = \$53.00)	\$110.60
MM	Fixed	ECOS-915-WHT	NEW - Omni Antenna, 5 dBi, direct N-jack (902-928 MHz), incl pole/wall mount & hardware	\$242.15
MM	Fixed	ECOS-915RN-WHT	NEW - Omni Antenna, 5 dBi, direct Recessed N-PLUG (902-928 MHz), does NOT incl mounting	\$232.50
MM	Fixed	PN6-915RCP-1C-WHT-6	NEW - Panel Antenna, RHCP, 6 dBi, 6 inch RG-58 pigtail with SMA male connector, (902-928 MHz)	\$200.50
MM	Fixed	PN6-915LCP-1C-WHT-6	NEW - Panel Antenna, LHCP, 6 dBi, 6 inch RG-58 pigtail with SMA male connector, (902-928 MHz)	\$200.50
MM	Fixed	PN6-915RCP-1C-WHT-6-SP112	NEW - Panel Antenna, RHCP, 6 dBi, 6 inch RG-58 pigtail with SMA male connector, (902-928 MHz) - Flat Back with Velcro Mounting Option	\$192.35
MM	Fixed	PL8-915RCP-1C-WHT-12 (Replaced PN8 Series)	8 dBi RFID Panel Antenna, RHCP, 1 foot RG-58 with SMA-male (902-928 MHz)	\$239.40
MM	Fixed	HD7-868LCP-BLK	7 dBi HEAVY DUTY RFID Panel Antenna, LHCP, direct N-female (865-870 MHz)	\$305.20
MM	Fixed	HD7-915RCP-BLK	7 dBi HEAVY DUTY RFID Panel Antenna, RHCP, direct N-female (902-928 MHz)	\$255.95
MM	Fixed	HD7-915RCP-PM-BLK	7 dBi HEAVY DUTY RFID Panel Antenna, RHCP, direct N-female, complete with Pole Mount Bracket (902-928 MHz)	\$323.00
MM	Fixed	HD7-915RCP-BLK-SP297	7 dBi HEAVY DUTY RFID Panel Antenna, RHCP, direct REVERSE POLARIZED N-female (902-928 MHz)	\$255.95
MM	Fixed	PN7-915-BLK	7 dBi Forklift Antenna, RHCP, Integral N female Connector, without mounting bracket	\$228.15
MM	Fixed	PN7-915-PT-3C-BLK-12	7 dBi Forklift Antenna, RHCP, 1ft LL-195 Pigtail/SMA-male Connector, without mounting bracket	\$228.15
MM	Fixed	TMA-WB1	Wideband Antenna, 420 MHz to 6 GHz, direct N-Jack, Tan	\$427.55
MM	Fixed	LPD-LVHF-DN-WHT	VHF Low Frequency Low Profile Antennas, Direct N-Jack termination, 145-161 MHz, WHITE (Longer leadtimes apply)	\$1,025.35

MM	Fixed	LPD-HVHF-DN-WHT	VHF High Frequency Low Profile Antennas, Direct N-Jack termination, 162-172 MHz, WHITE (Longer leadtimes apply)	\$1,025.35
MM	Fixed	LPD-LVHF-DN-BLK	VHF Low Frequency Low Profile Antennas, Direct N-Jack termination, 145-161 MHz, BLACK (Longer leadtimes apply)	\$1,093.75
MM	Fixed	LPD-HVHF-DN-BLK	VHF High Frequency Low Profile Antennas, Direct N-Jack termination, 162-172 MHz, BLACK (Longer leadtimes apply)	\$1,093.75
MM	Fixed	RM-433-3C-BLK	433 MHz RM3 Series Antenna, 12 inches LL-195 with SMA-plug, Black, 430-436 MHz - Longer Lead Times Apply	\$104.85
MM	Fixed	MAX-Fin UHF Antenna, 15 feet LL-195 with SMA-plug, Black, 440-470 MHz - Longer Lead Times Apply	\$131.80	
MM	Fixed	LTM101-3C-WHT-180	NEW - LTM UHF Antenna, 420-470 MHz, 15 feet LL-195 with SMA-plug - Longer lead times apply.	\$263.55
MM	Fixed	BS1LL-150BB	NEW - VHF Base Station Antenna, 2 dBi, 148-176 MHz, Includes mounting hardware	\$1,344.30
MM	Fixed	OD3-150WB	NEW - VHF Wide Band Base Station Antenna, 2 dBi, 128-180 MHz, Includes mounting hardware	\$1,344.30
MM	Fixed	OD-150/450-WHT	Dual Band VHF/UHF Heavy Duty Omni Antenna, Unity Gain, 154-160/450-470 MHz, N-Jack, Incl. Mounting Bracket; 67"	\$862.05
MM	Fixed	OD3-450-WHT	UHF Heavy Duty Omni Antenna, 3 dBi gain, 450-512 MHz, N-Jack, Incl. Mounting Bracket; 67"	\$673.50
MM	Fixed	PN5-450-DN-WHT	NEW - UHF Compact Directional Patch Antenna, 5 dBi gain, 450-512 MHz, N-Jack, Incl. Mounting Bracket (Longer lead times apply)	\$209.75
MM	Fixed	OD3-800/900-WHT	Wide Band 800/900 MHz Heavy Duty Omni Antenna, 3 dBi gain, 806-960 MHz, N-Jack, Incl. Mounting Bracket; 38"	\$897.75
MM	Fixed	PH-150-2-0	Phasing Harness, 150 MHz, 2 Way, N-female connectors, Optimized for EDX-150 Series	\$182.00
MM	Fixed	PH-150-4-0	Phasing Harness, 150 MHz, 4 Way, N-female connectors, Optimized for EDX-150 Series	\$419.05
MM	Fixed	PH-450-2-0	Phasing Harness, 450 MHz, 2 Way, N-female connectors, Optimized for EDX-450 Series	\$182.00
MM	Fixed	PH-450-4-0	Phasing Harness, 450 MHz, 4 Way, N-female connectors, Optimized for EDX-450 Series	\$419.05
MM	Fixed	OD4-700-BLK	Omni 4 dBi antenna for 694 - 806 MHz, 4 dBi gain with N female, pole mount hardware included	\$413.65
MM	Fixed	OD6-700-BLK	Omni 6 dBi antenna for 694 - 806 MHz, 6 dBi gain with N female, pole mount hardware included	\$465.25
MM	Fixed	OD3-700/2700DN-WHT	LTE Wide Band A/P Mount Omni Antenna, 2 dBi/3 dBi, 694-960/1700-2700 MHz, Direct N-PLUG, (Longer lead times may apply)	\$129.10
MM	Fixed	OD3-700/2700-BLK	LTE Omni Antenna, 3 dBi, 694-960/1700-2700 MHz, Direct N-Jack, pole mount hardware included (Longer lead times may apply)	\$187.00
MM	Fixed	OD3-600/6000-BLK	NEW - LTE G-2-6 WideBand Omni Antenna, 3 dBi, 617-960/1700-6000 MHz, Direct N-Jack, pole mount hardware included (Longer lead times may apply)	\$213.35
MM	Fixed	ODD3-700/2700-3C3C-BLK-12	LTE 2x MIMO Omni Antenna, 3 dBi, 695-960/1710-2700 MHz, 12 in LL-195 with SMA-plug (x2), pole mount hardware included (Longer lead times may apply)	\$325.85
MM	Fixed	LTM301-PM-3C3C00-WHT-180	LTE MIMO (2 cables) 694-960/1710-2170 MHz (x2), 15 ft LL-195 SMA-plug, MOUNTED TO LTM-PMK Pole Mounting Kit	\$239.40
MM	Fixed	PNM2-LTE-1C1C-WHT-12	NEW - LTE MIMO Omni Directional Wall Mount Antenna, 2 dBi, 694-960/1710-2700 MHz, 2x 12 inches RG-58 with SMA-plug connectors	\$168.70
MM	Fixed	PND10-700/2700-GRY	NEW - LTE MIMO Directional Dual Slant 45 degree Antenna, 9 dBi (695-960 MHz), 10 dBi (1710-2700 MHz), 2x N-Jack, adjustable pole mount hardware	\$803.80
MM	Fixed	PND10-600/6000-GRY	NEW - LTE G-2-6 MIMO Directional Dual Slant 45 degree Antenna, 9 dBi (617-960 MHz), 10 dBi (1710-2170 MHz), 13 dBi (2200-2700 MHz), 15 dBi (3550-6000 MHz)	\$1,193.80
MM	Fixed	BP942-3C312C-36	NEW - Private Network Base Station 7 Cable Antenna, 36 inch Cables (SMA/RPMSMA/SMA), 4x MIMO Sub 6 LTE (617-960/1710-6000 MHz), 2x MIMO WiFi 6E (2.4-5.8 GHz)	\$637.65
MM	Fixed	Y42700WB-2X	NEW - LTE MIMO Directional Dual Slant 45 degree Log Periodic Antenna, 14 dBi (600-4200 MHz), 6 dBi (4200-6000 MHz), 2x 12 in N-Jack, pole mount hardware	\$861.70
MM	Fixed	DDY7-700/2700-WHT	NEW - LTE MIMO Omni-Directional Antenna, 5 dBi (694-960 MHz), 7 dBi (1700-2700 MHz), 2x N-Jack, 2x adjustable pole mount hardware	\$831.90
MM	Fixed	PM-1350-4C-BLK-6	Wearable Patch Antenna, w/6 inches RG-188 with SMA-plug, (1350-1390 MHz) - Special order - Longer lead times apply.	\$206.80
MM	Fixed	OD7-1350-WHT	Omni Base Station, 7 dBi w/ N-female conn./mounting hardware, (1350-1390 MHz) - Special Order - Longer lead times apply.	\$151.90
MM	Fixed	IMA65-1350-3C-BLK-120	Magnetic Mount Antenna, 5 dBi, 10 feet LL-195 with SMA-plug, (1350-1390 MHz) - Special order - Longer lead times apply.	\$141.50
MM	Fixed	RMM-1400-3C-BLK-12	Surface Mount Antenna, 5 dBi (peak) gain, 1 ft LL-195 with SMA-plug (1300-1500 MHz)	\$94.15
MM	Fixed	RMM-1400DN-BLK	Surface Mount Antenna, 5 dBi (peak) gain, Direct N-female (1300-1500 MHz)	\$97.65
MM	Mag Mount	MGRM-1400-3C-BLK-120	Magnet Mount Antenna, 5 dBi (peak) gain, 10 feet LL-195 with SMA-plug (1300-1500 MHz)	\$134.50
MM	Device	PS760-1350SE	Unity Gain Device Antenna, 1350-1390 MHz, SMA-plug	\$25.15
MM	Fixed	OD6-2000-BLK	Omni Base Station, 6 dBi w/ N-female conn./mounting hardware, (1710-2170 MHz)	\$430.15
MM	Fixed	SCR11-1800-WHT	Corner Reflector, 11 dBi, with N-female connector/mounting hardware, (1.7-1.9 GHz)	\$243.95
MM	Fixed	SCR12-1900-WHT	Corner Reflector, 12 dBi, with N-female connector/mounting hardware, (1.8-2.0 GHz)	\$243.95
MM	Fixed	OD6-1800-BLK	Omni Base Station, 6 dBi w/ N-female conn./mounting hardware, (1.75-1.85 GHz)	\$270.90
MM	Fixed	OD9-1800-BLK	Omni Base Station, 9 dBi w/ N-female conn./mounting hardware, (1.75-1.85 GHz)	\$283.00
MM	Fixed	OD6-1900-BLK	Omni Base Station, 6 dBi w/ N-female conn./mounting hardware, (1.85-1.99 GHz)	\$208.35
MM	Fixed	OD9-1900-BLK	Omni Base Station, 9 dBi w/ N-female conn./mounting hardware, (1.85-1.99 GHz)	\$283.00
MM	Fixed	OD-850/1900-BLK	Dual Band GSM/CMDA (850/1900 MHz) Omni Base Station, 4/5dBi, (1.85-1.99 GHz) mounting hardware	\$376.35
MM	Covert	CVL-2400/5500-2C-BLK-96	NEW - Mini Multi-Band Covert WiFi 802.11abgn Strip Antenna, 2.4-2.5/4.9-6 GHz = 8 feet RG-174 with SMA-plug	\$44.80
MM	Covert	PM-2450-4C-BLK-6	802.11 b/g Wearable Patch Antenna (2.4-2.485 GHz), w/6 inches RG-188 with SMA-plug	\$56.55
MM	Mag Mount	IMA65-2400-3C-BLK-120	Mag antenna, 5 dBi with 10 ft LL-195 low loss cable, SMA-plug (2.4-2.5 GHz)	\$100.90
MM	Mag Mount	IMA63-2500-3C-BLK-120	Mag antenna, 3 dBi with 10 ft LL-195 low loss cable, SMA-plug (3.4-3.7 GHz)	\$92.00
MM	Mag Mount	MGRM3-2400-3C-BLK-120	New RM Style Mag antenna, with 10 ft LL-195 cable, SMA or TNC, (2.4-2.5 GHz)	\$114.65
MM	Mag Mount	MGD-W15-3C-BLK-120	New Dome Mag antenna Dual Band, with 10 ft LL-195 low loss cable, SMA-plug, (2.4 & 4.9 - 6 GHz)	\$86.10
MM	Mag Mount	MGRM-WHF-3C-BLK-120	New Broadband Mag antenna, with 10 ft LL-195 low loss LL-195cable, SMA-plug, (1.7- 6 GHz GHz)	\$141.25
MM	Mag Mount	MGD-2600-3C-BLK-120	New Dome Mag antenna Dual Band, with 10 ft LL-195 low loss cable, SMA-plug, (2.5 - 2.7 GHz)	\$86.10
MM	Mag Mount	IMA65-2600-3C-BLK-120	Mag antenna, 5 dBi with 10 ft LL-195 low loss cable, SMA-plug (2.5-2.7 GHz)	\$100.90
MM	Mag Mount	ECOM5-2400-3C-BLK-120	Echo Series Magnet Mount Antenna, 5 dBi, 10 ft. LL-195 cable & SMA-male, (2.4-2.485 GHz)	\$171.25
MM	Mobile Stud Mount or NMO	DM2-2400-3C-WHT-12	Low Profile Dome Antenna, 2 dBi antenna with 1 foot LL-195 pigtail, SMA-plug, (2.4-2.485 GHz)	\$64.60
MM	Mobile Stud Mount or NMO	DM2-2600-3C-WHT-12	Low Profile Dome Antenna, 2 dBi antenna with 1 foot LL-195 pigtail, SMA-plug, (2.5-2.7 GHz)	\$64.60
MM	Mobile Stud Mount or NMO	RM3-2400-3C-BLK-12	Surface Mount, 2.5 dBi antenna with 1 foot LL-195 pigtail, SMA-plug, (2.4-2.485 GHz)	\$75.35
MM	Mobile Stud Mount or NMO	RM3-2400-DN-BLK	Surface Mount, 2.5 dBi antenna with Direct N-Female (2.4-2.485 GHz)	\$84.55
MM	Mobile Stud Mount or NMO	SM-2450CP-4C-WHT-6	Low Profile Antenna, 4 dBi antenna with 6 inch RG-188 pigtail, TNC or SMA, (2.4-2.485 GHz)	\$79.40
MM	Mobile Stud Mount or NMO	MRM3-2000-3C-BLK-12	New Compact Stud Mount, 1 ft LL-195 cable and SMA Male, 1.7-2.1 GHz	\$64.60
MM	Mobile Stud Mount or NMO	MRM3-2300-3C-BLK-12	New Compact Stud Mount, 1 ft LL-195 cable and SMA Male, 2.2-2.4 GHz	\$64.60
MM	Mobile Stud Mount or NMO	MRM3-2400-3C-BLK-12	New Compact Stud Mount, 1 ft LL-195 cable and SMA Male, 2.4-2.5 GHz	\$64.60
MM	Mobile Stud Mount or NMO	MRM3-2600-3C-BLK-12	New Compact Stud Mount, 1 ft LL-195 cable and SMA Male, 2.5-2.7 GHz	\$64.60
MM	Mobile Stud Mount or NMO	HD4-2400-3C-BLK-36	NEW - Low Profile Heavy Duty WiFi Antenna, 4 dBi - GPI, 3 ft LL-195 and SMA-plug, 2.4-2.485 GHz (Special Order - Longer Lead Times Apply)	\$106.15
MM	Mobile Stud Mount or NMO	ECOS5-2400-DN-BLK	NEW - Spring/hole Mount Echo Series 5 dBi, direct N-jack (2.4 - 2.5 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$290.95
MM	Mobile Stud Mount or NMO	ECOS8-2400-DN-BLK	NEW - Spring/hole Mount Echo Series 8 dBi, direct N-jack (2.4 - 2.5 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$430.10
MM	Mobile Stud Mount or NMO	ECOS5-2400/5500-DN-BLK	NEW - Spring/hole Mount Echo Series 5 dBi, direct N-jack (2.4 - 2.5/5.15-5.925 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$276.35
MM	Device	PS7N2-2200	(MIN Order 250pc) Halfwave Device Antenna, BNC-male, 2.2 GHz - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Device	PS760-2400HS	(MIN Order 250pc) Stub antenna, Quarterwave, with SMA-plug connector, (2.4-2.485 GHz) - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Device	PS760-2400RS	(MIN Order 250pc) Stub antenna, Quarterwave, with Reverse Polarity SMA-plug connector, (2.4-2.485 GHz) - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Device	PSKN3-2400T	Rubber Duck Knuckle, half-wave, with TNC-plug, (2.4-2.485 MHz)	\$21.65
MM	Device	PSKN3-2400S	Rubber Duck Knuckle Antenna, half-wave, with SMA, (2.4-2.485 MHz)	\$21.65
MM	Device	PSN3-2400T	Rubber Duck Straight Antenna, half-wave, with Male TNC, (2.4-2.485 GHz)	\$26.95
MM	Device	PSN3-2400S	Rubber Duck Straight Antenna, half-wave, with Male SMA, (2.4-2.485 GHz)	\$26.95
MM	Device	PSN3-2400RS	Rubber Duck Straight Antenna, half-wave, with Reverse Polarized SMA-plug, (2.4-2.485 GHz)	\$29.75
MM	Device	PSKN3-2400RT	Rubber Duck Knuckle Antenna, half-wave, with Reverse TNC Plug, (2.4-2.485 GHz)	\$24.35
MM	Device	PSKN3-2400RS	Rubber Duck Knuckle Antenna, half-wave, with Reverse SMA Plug, (2.4-2.485 GHz)	\$24.35
MM	Fixed	BD-2400-GRY	NEW - 8 dBi WiFi Bi-Directional Blade Antenna, Direct N-Jack, 2.4-2.5 GHz - Longer lead times apply.	\$174.65
MM	Fixed	PN17-2400-WHT	NEW - 17 dBi WiFi Panel Antenna, Direct N-Jack, 2.4-2.5 GHz	\$322.65
MM	Fixed	SCR9-2400-WHT	Corner Reflector, 9 dBi, w/N-female connector/mounting hardware, (2.3-2.6 GHz)	\$225.85
MM	Fixed	PS12-2400-90-GRY	Sector Antenna, 90 degrees, 12 dBi, with N-fem. conn./mounting hardware, (2.4-2.485 GHz)	\$708.40
MM	Fixed	SCR12-2400-WHT	Corner Reflector, 12 dBi, with N-female connector/mounting hardware, (2.3-2.6 GHz)	\$253.15
MM	Fixed	P8S-2400S-GRY	Patch, Swivel mount, 8 dBi, with SMA female connector, (2.4-2.485 GHz)	\$88.85
MM	Fixed	YAG8-W-3C-WHT-12	NEW - Yagi, 8 dBi, 1 foot LL-195 with SMA-plug, Includes Standard Wall Mount, (2.4-2.485/4.9-6 GHz)	\$185.50
MM	Fixed	U Bolt Set - SCR Series	Replacement U Bolts for SCR Series Antennas	\$12.00
MM	Fixed	OD9-2600-BLK	MMDS Omni Base Station, 9 dBi w/ N-female conn./mounting hardware, (2.5-2.7 GHz)	\$292.00
MM	Fixed	ECO9-2600-WHT	Echo Series Omni Site Antenna, 9 dBi w/ direct N-fem. conn./mounting hardware, (2.5-2.7 GHz)	\$313.10
MM	Fixed	ECO9-2600-RN-WHT	Echo Series Omni Site Antenna, 9 dBi w/ direct N-male. conn./NO mount hardware, (2.5-2.7 GHz)	\$298.55
MM	Fixed	SCR9-2600-WHT	MMDS, Corner Reflector, 9 dBi, w/N-female connector/mounting hardware, (2.5-2.7 GHz)	\$277.50
MM	Fixed	PS12-2600-90-GRY	Sector Antenna, 90 degrees, 12 dBi, with N-fem. conn./mounting hardware, (2.5-2.7 GHz)	\$693.70
MM	Fixed	PN13-2600-120-WHT	Heavy Duty Sector Antenna, 120 degrees, 13 dBi, with N-fem. (2.5-2.7 GHz)	\$634.85
MM	Fixed	PN15-2600-90-WHT	Heavy Duty Sector Antenna, 90 degrees, 15 dBi, with N-fem. (2.5-2.7 GHz)	\$634.85
MM	Fixed	PN16-2600-60-WHT	Heavy Duty Sector Antennas 60 degrees 16 dBi with N fem (2.5 - 2.7)	\$634.85
MM	Fixed	PN17-2600-45-WHT	Heavy Duty Sector Antennas 45 degrees 17 dBi with N fem (2.5 - 2.7)	\$634.85
MM	Fixed	SCR12-2600-WHT	MMDS, Corner Reflector, 12 dBi, with N-female connector/mounting hardware, (2.5-2.7 GHz)	\$347.20
MM	Fixed	ECOS-2400-WHT	Eco Series Omni Site Antenna, 5 dBi w/ direct N-fem. conn./mounting hardware, (2.4-2.485 GHz)	\$128.10
MM	Fixed	ECOB-2400-WHT	Eco Series Omni Site Antenna, 8 dBi w/ direct N-fem. conn./mounting hardware, (2.4-2.485 GHz)	\$318.00
MM	Fixed	ECOS-2400/5500-WHT	WiFi 6E Eco Series Omni Site Antenna, 5 dBi w/ direct N-fem. conn./mounting hardware, (2.4-2.5/5.15-7.2 GHz)	\$172.30
MM	Fixed	OD3-2400-BLK	Omni Base Station, 3 dBi w/ N-female conn./mounting hardware, (2.4-2.485 GHz)	\$157.50
MM	Fixed	OD9-2400-BLK	Omni Base Station, 9 dBi w/ N-female conn./mounting hardware, (2.4-2.485 GHz)	\$213.85
MM	Fixed	OD12-2400-BLK	Omni Base Station, 12 dBi w/ N conn./mounting hardware, (2.4-2.485 GHz)	\$348.25
MM	Mounts	OD-UBK	Replacement U Bolts & Hardware for OD Series Antennas - NO MOUNTING BRACKET	\$28.70
MM	Fixed	ODN12-2400BA-GRN	Omni Antenna, Special Order 12 dBi Break Apart, 2.4-2.485 GHz, N-female/mounting hardware - Longer lead times apply.	\$758.20
MM	Fixed	ECOS-2400-RN-WHT	Eco Series Omni Site Antenna, 5 dBi w/ direct N-male. conn./no mount hardware, (2.4-2.485 GHz)	\$113.85
MM	Fixed	ECOB-2400-RN-WHT	Eco Series Omni Site Antenna, 8 dBi w/ direct N-male. conn./NO mount hardware, (2.4-2.485 GHz)	\$298.55
MM	Fixed	MOD3-700/2700MOD2-WHT	Marine Omni Directional 3 dBi (694-960/1700-2700 MHz), N-female, Powder Coat & Stainless Steel hardware	\$358.00
MM	Fixed	MOD3-2400-WHT	Marine Omni Directional 3 dBi (2.4-2.485 GHz), N-female, Powder Coat & Stainless Steel hardware	\$219.05

MM	Fixed	MOD6-2400-WHT	Marine Omni Directional 6 dBi (2.4-2.485 GHz), N-female, Powder Coat & Stainless Steel hardware	\$258.50
MM	Fixed	MOD9-2400-WHT	Marine Omni Directional 9 dBi (2.4-2.485 GHz), N-female, Powder Coat & Stainless Steel hardware	\$279.25
MM	Fixed	MOD12-2400-WHT	Marine Omni Directional 12 dBi (2.4-2.485 GHz), N-female, Powder Coat & Stainless Steel hardware	\$415.65
MM	Fixed	MOD5-2400/5500MOD2-WHT	Marine WiFi 6 Omni Directional 5 dBi (2400-2500/5150-7200 MHz), N-female, Powder Coat & Stainless Steel hardware	\$358.00
MM	Fixed	OD3-600/6000OD2-BLK	NEW - LTE 626i Omni Antenna, Special High Vibration Modification, N-Female, 617-960/1700-6000 MHz, (Longer lead times may apply) - 50 piece MOQ	\$317.90
MM	Fixed	OD3-700/2700OD2-BLK	LTE Omni Antenna, Special High Vibration Modification, N-Female, 694-960/1700-2700 MHz, (Longer lead times may apply) - 50 piece MOQ	\$291.75
MM	Fixed	OD3-2000OD2-BLK	Omni Base Station, 3 dBi - Special High Vibration Modification, N-female, 1710-2170 MHz - 50 piece MOQ	\$412.50
MM	Fixed	OD5-2000OD2-BLK	Omni Base Station, 5 dBi - Special High Vibration Modification, N-female, 1710-2170 MHz - 50 piece MOQ	\$535.10
MM	Fixed	OD3-2400MOD2-BLK	Omni Base Station, 3 dBi - Special High Vibration Modification, N-female, 2.4-2.485 GHz - 50 piece MOQ	\$176.60
MM	Fixed	OD6-2400MOD2-BLK	Omni Base Station, 6 dBi - Special High Vibration Modification, N-female, 2.4-2.485 GHz - 50 piece MOQ	\$291.75
MM	Fixed	OD9-2400MOD2-BLK	Omni Base Station, 9 dBi - Special High Vibration Modification, N-female, 2.4-2.485 GHz - 50 piece MOQ	\$326.75
MM	Fixed	OD12-2400MOD2-BLK	Omni Base Station, 12 dBi - Special High Vibration Modification, N-female, 2.4-2.485 GHz - 50 piece MOQ	\$469.10
MM	Fixed	OD5-2400/5500MOD2-BLK	WiFi 6 Omni Base Station, 5 dBi - Special High Vibration Modification, N-female, 2400-2500/5150-7200 MHz - 50 piece MOQ	\$291.75
MM	Fixed	OD3-2600MOD2-BLK	Omni Base Station, 3 dBi - Special High Vibration Modification, N-female, 2.5-2.7 GHz - 50 piece MOQ	\$176.60
MM	Fixed	OD3-3500MOD2-BLK	Omni Base Station, 3 dBi - Special High Vibration Modification, N-female, 3.3 - 3.8 GHz - 50 piece MOQ	\$388.60
MM	Fixed	OD6-3500MOD2-BLK	Omni Base Station, 6 dBi - Special High Vibration Modification, N-female, 3.3 - 3.8 GHz - 50 piece MOQ	\$523.10
MM	Fixed	OD5-5900MOD2-BLK	Omni Base Station, 5 dBi - Special High Vibration Modification, N-female, 5850-5925 MHz - 50 piece MOQ	\$291.75
MM	GPS/GNSS	HIGH GAIN GPS (SP-205)	Add the following for 32 dB High Gain GPS "SP-205". Prices are in addition to standard pricing.	\$9.45
MM	GPS/GNSS	IW-1575-2C-BLK-120	On-Window Active GPS only antenna, 15 feet RG-174 with SMA-plug (1575 MHz)	\$48.40
MM	GPS/GNSS	MAG-1575-2C-BLK-120	Magnet Mount, Active GPS only antenna, 10 feet RG-174 with SMA-plug (1575 MHz)	\$45.80
MM	GPS/GNSS	MAG-NAV-2C-BLK-120	Magnet Mount, Active GLONASS/GPS antenna, 10 feet RG-174 with SMA-plug	\$67.20
MM	GPS/GNSS	SM-1575-2C-WHT-180	Surface Mount Active GPS only antenna, 15 feet RG-174 with SMA-plug (1575 MHz)	\$79.40
MM	GPS/GNSS	SMG-1575-2C-WHT-180	Surface Mount Active GLONASS/GPS only antenna, 15 feet RG-174 with SMA-plug (1575 MHz)	\$79.40
MM	GPS/GNSS	NT-1575-WHT	Nav. Timing GPS Antenna, Heavy Duty, water and shock resistant, 1575 MHz, direct TNC-jack	\$130.50
MM	GPS/GNSS	NTG-1575-WHT	Nav. Timing GLONASS/GPS Antenna, Heavy Duty, water and shock resistant, 1575 MHz, direct TNC-jack	\$130.50
MM	GPS/GNSS	GM13-1575-3-2C-180	13mm GPS modular for OEM applications, 3.3 VDC, 15 feet RG-174 with SMA-plug (1575 MHz)	\$45.80
MM	GPS/GNSS	GM18-1575-3-2C-180	18mm GPS modular for OEM applications, 3.3 VDC, 15 feet RG-174 with SMA-plug (1575 MHz)	\$45.80
MM	GPS/GNSS	GM25-1575-2C-180	25mm GPS modular for OEM applications, 3.3/3.5 VDC, 15 feet RG-174 with SMA-plug (1575 MHz)	\$45.80
MM	GPS/GNSS	AS66GPS-BLK	GPS only - NMO	\$116.05
MM	GPS/GNSS	MSM-150/1575-3C2C-WHT-180	Marine Surface Mount VHF 150 MHz (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug) (150 & 1575 MHz)	\$281.75
MM	GPS/GNSS	MAG-450/1575-3C2C-BLK-120	Magnet Mount UHF 450 MHz (10ft LL-195 w/ SMA-plug) w/ Active GPS (10ft RG-174 w/ SMA-plug), (450 & 1575 MHz)	\$136.60
MM	GPS/GNSS	SMF-400/1575-3C2C-BLK-180	Surface Mount UHF Flex Whip (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (380-430 MHz & 1575 MHz)	\$138.60
MM	GPS/GNSS	SMF-420/1575-3C2C-BLK-180	Surface Mount UHF Flex Whip (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (400-450 MHz & 1575 MHz)	\$138.60
MM	GPS/GNSS	SMF-450/1575-3C2C-BLK-180	Surface Mount UHF Flex Whip (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (430-512 MHz & 1575 MHz)	\$138.60
MM	GPS/GNSS	SM-900/1575-3C2C-WHT-180	Surface Mount Cellular/CDPD (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (824-894 & 1575 MHz)	\$138.60
MM	GPS/GNSS	SM-2450CP/1575-3C2C-WHT-180	Surface Mount WiFi (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (2400-2500 & 1575 MHz)	\$138.60
MM	GPS/GNSS	SMF-900/1575-3C2C-BLK-120	Surface Mount 1 dB Cellular/CDPD, Flex Whip, (15ft LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (824-894 & 1575 MHz)	\$138.60
MM	GPS/GNSS	DM2-1900/1575-3C2C-WHT-180	Dome Mount for PCS/GSM (15 feet LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (1850-1990 & 1575 MHz)	\$117.10
MM	GPS/GNSS	DM2-2100/1575-3C2C-WHT-180	Dome Mount for UMS 2.1 GHz (15 feet LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (1900-2170 & 1575 MHz)	\$117.10
MM	GPS/GNSS	DM2-2400/1575-3C2C-WHT-180	Dome Mount for 2.4 GHz 802.11b/g (15 feet LL-195 w/ SMA-plug) w/ Active GPS (15ft RG-174 w/ SMA-plug), (2400-2485 & 1575 MHz)	\$117.10
MM	GPS/GNSS	CVS-2400/1575-2A2C-BLK-120	Coverit Dual-Band Strip Antenna, 2.4-2.485 GHz (TNC-plug) & Active GPS (SMA-plug) 10ft Dual Bonded RG-174	\$64.15
MM	GPS/GNSS	DM-1620-3C-WHT-120	NEW - Iridium (1616-1626.5 MHz 10'LL-195 with SMA-plug) - Low Profile Dome Antenna - Longer lead times apply.	\$133.10
MM	GPS/GNSS	SM-1620/1575-3C2C-WHT-120	NEW - Iridium (1616-1626.5 MHz 10'LL-195 with SMA-plug) & GPS (1575 MHz 10' RG-174 with SMA-plug) Low Profile Antenna - Longer lead times apply.	\$161.30
MM	GPS/GNSS	LTM503-3C3C3C3C2C-WHT-180	LTE/LTE/WIFI/IRIDIUM/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA, Iridium 15 ft RG-174 SMA	\$349.65
MM	GPS/GNSS	SM6-5900/1575-3C2C-BLK-180	NEW - DSR2 G dBi + GPS Surface Mount Antenna, 5850-5930 MHz = 15 feet LL-195 with SMA-plug, GPS = 15 feet RG-174 with SMA-plug	\$199.10
MM	GPS/GNSS	MAG6-5900/1575-3C2C-BLK-120	NEW - DSR2 G dBi + GPS Magnetic Mount Antenna, 5850-5930 MHz = 10 feet LL-195 with SMA-plug, GPS = 10 feet RG-174 with SMA-plug	\$212.45
MM	GPS/GNSS	IW-5900/1575-7C2C-BLK-12	NEW - DSR2 G dBi + GPS Glass Mount Antenna, 5850-5930 MHz = 12 inches LMR-100 with SMA-plug, GPS = 12 inches RG-174 with SMA-plug	\$113.05
MM	GPS/GNSS	CVS-015-2A2C-BLK-120	Covert Tri-Band Antenna, 824-894/1850-1990 (TNC-plug) & Active GPS (SMA-plug) 10ft Dual Bonded RG-174	\$53.40
MM	GPS/GNSS	CVS-015-2C2C-BLK-120	Covert Tri-Band Antenna, 824-894/1850-1990 (SMA-plug) & Active GPS (SMA-plug) 10ft Dual Bonded RG-174	\$53.40
MM	GPS/GNSS	CVS-015-2A2C-BLK180	Covert Tri-Band Antenna, 824-894/1850-1990 (TNC-plug) & Active GPS (SMA-plug) 15ft Dual Bonded RG-174	\$62.15
MM	GPS/GNSS	CVS-015-2C2C-BLK-180	Covert Tri-Band Antenna, 824-894/1850-1990 (SMA-plug) & Active GPS (SMA-plug) 15ft Dual Bonded RG-174	\$62.15
MM	GPS/GNSS	CVS-015-2HA2HC-BLK-120	Covert Tri-Band Antenna, 824-894/1850-1990 (Fakra-jack-Violet) & GPS (Fakra-jack-Blue) 10ft Dual Bonded RG-174	\$76.20
MM	GPS/GNSS	CVW-UMB-2C2C-BLK-120	MULTI-Band Covert Strip Antenna, 800-960/1700-2200 (SMA-plug) & GPS (SMA-plug) 10ft Dual Bonded RG-174	\$64.05
MM	GPS/GNSS	CVW-UMB-3C2C-BLK-120	MULTI-Band Covert Strip Antenna, 800-960/1700-2200 (10ft LL-195 SMA-plug) & GPS (10ft RG-174 SMA-plug)	\$77.30
MM	GPS/GNSS	CVW-LTE-2C2C-BLK-120	NEW - MULTI-Band Covert 4G-LTE/GPS Strip Antenna, 694-960/1700-2700 (SMA-plug) & GPS (SMA-plug) 10ft Dual Bonded RG-174	\$67.05
MM	GPS/GNSS	CVW-LTE-1C2C-BLK-120	NEW - MULTI-Band Covert 4G-LTE/GPS Strip Antenna, 694-960/1700-2700 (SMA-plug) & GPS (SMA-plug) 10 feet Dual Bonded RG-58/RG-174	\$80.15
MM	Mobile or Fixed Base	CVW-201-2C2C-BLK-120	NEW - MULTI-Band Covert 4G-LTE/GPS Strip Antenna, 694-960/1700-2700 (10 feet RG-174 w/SMA-plug) & WiFi 2.4-2.5/4.9-6 GHz (10 feet RG-174 w/SMA-plug)	\$78.85
MM	Mobile or Fixed Base	CVW-202-2C2C-BLK-120	NEW - MULTI-Band Covert 2x MIMO WiFi 2.4-2.5/4.9-6 GHz, 2x 10 feet RG-174 with SMA-plug	\$78.85
MM	GPS/GNSS	CVW6-WB2-3C2C-BLK-180	NEW - SG MULTI-Band Covert 4G-LTE/GPS Strip Antenna, 617-960/1700-6000 = 15 feet LL-195 with SMA-plug, GNSS = 15 feet RG-174 with SMA-plug	\$98.20
MM	GPS/GNSS	DM-015-3C2C-WHT-180	Tri Band Dome Mount WiFi (2.4-2.5/4.9-6 GHz 15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$139.85
MM	GPS/GNSS	MGD-015-3C2C-BLK-120	Tri Band Mag Dome Mount WiFi (2.4-2.5/4.9-6 GHz 10ft LL-195 SMA-plug) w/ Active GPS (10ft RG-174 SMA-plug)	\$134.50
MM	GPS/GNSS	MGD-015-3C2C-BLK-180	Tri Band Mag Dome Mount WiFi (2.4-2.5/4.9-6 GHz 15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$149.75
MM	GPS/GNSS	CLP-015-2C2C-BLK-24	License Plate Combo Antenna, GSM (824-894/1850-1990 SMA-plug) w/ Active GPS (SMA-plug), 2ft Dual Bonded RG-174	\$159.50
MM	GPS/GNSS	CLP-MB1-2C2C-BLK-24	License Plate Combo Antenna, GSM (824-894/1850-1990), WiFi (2.4-2.5/4.9-6 GHz) & GPS, 2ft x3 RG-174 with SMA-plug connectors	\$185.60
MM	GPS/GNSS	MGO-015-2A2C-BLK120	Tri-Band Mag Mount Antenna, 806-960 / 1700-2500 (TNC-plug) & Active GPS (SMA-plug), 10ft Dual Bonded RG-174	\$140.65
MM	GPS/GNSS	MGO-015-2C2D-BLK-120	Tri-Band Mag Mount Antenna, 806-960 / 1700-2500 (SMA-plug) & Active GPS (SMB-plug), 10ft Dual Bonded RG-174	\$151.65
MM	GPS/GNSS	MGU-015-3C2C-WHT-180	Tri-Band Low Profile Surface Antenna, 824-894/1850-1990 (15ft LL-195 SMA-plug) & Active GPS (15ft RG-174 SMA-plug)	\$151.05
MM	GPS/GNSS	LMW201-3C2C-WHT-180	NEW - LTE Low Profile Antenna, 695-960/1710-2700 MHz (15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$161.30
MM	GPS/GNSS	LMW202-3C2C-WHT-180	NEW - LTE Low Profile Antenna, 695-960/1710-3700 MHz (15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$161.30
MM	GPS/GNSS	LMW203-3C2C-WHT-180	NEW - LTE Low Profile Antenna, 695-960/1710-6000 MHz (15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$161.30
MM	GPS/GNSS	LMW302-3C2C-WHT-180	NEW - 2x MIMO LTE Low Profile Antenna, 695-960/1710-3700 MHz (2x 15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$247.45
MM	GPS/GNSS	LMW-UMB-3C2C-WHT-180	WideBand Low Profile Antenna 800-2200 MHz (15ft LL-195 SMA-plug) w/ Active GPS (15ft RG-174 SMA-plug)	\$161.30
MM	GPS/GNSS	SMD-W-3C3C2C-WHT-180	MIMO WiFi + GPS Mobile, 2 x (2.4-2.5/4.9-6 GHz) 15 feet LL-195 with SMA-plug + GPS, 15 feet RG-174 with SMA-plug	\$187.00
MM	GPS/GNSS	WA-3X32X-WHT-36	Wayside Antenna - 694-960/1710-2170 MHz = 3 Feet LL-195 with N Plug (x2)GPS = 3 Feet RG-174 with N Plug	\$535.15
MM	GPS/GNSS	BFN942-3C32C-36	Base Private Network Antenna - 7 cables - 4x 5G LTE 617-960/1710-6000 MHz (3 ft LL-195 SMA-plug), 2x WiFi 6E 2.4-2.5/4.9-6 GHz (3 ft LL-195 RP SMA-plug), 1	\$693.65
MM	GPS/GNSS	TB-GNSS	Navigation Timing Antenna, Water & Shock Resistant, MultiBand GNSS, 1L, 1L, 1L.	\$787.80
MM	GPS/GNSS	CVW502-2C2C2J2C-BLK-120	Global CVW MultiBand MIMO Covert (5 cables) - 10 ft RG-174: 694-960/1710-2750 MHz (x2 SMA-plug), 2.4-2.5/4.9-6 GHz (x2 Rev. Pol. SMA-plug), GPS (1x SMA-plug)	\$182.90
MM	GPS/GNSS	CVW402-2C2C2J2C-BLK-120	Global CVW MultiBand MIMO Covert (4 cables) - 10 ft RG-174: 694-960/1710-2750 MHz (x2 SMA-plug), 2.4-2.5/4.9-6 GHz (x1 Rev. Pol. SMA-plug), GPS (1x SMA-plug)	\$156.10
MM	GPS/GNSS	CVW302-2C2C-BLK-120	Global CVW MultiBand MIMO Covert (3 cables) - 10 ft RG-174: 694-960/1710-2750 MHz (x2 SMA-plug), GPS (1x SMA-plug)	\$129.10
MM	GPS/GNSS	CVW508-7C7C7J2C-BLK-120	Global CVW 5G 6-2-6 MultiBand MIMO Covert (5 cables) - 10 ft RG-LMR-100: 617-960/1710-7200 MHz (x2 SMA-plug), 2.4-2.5/4.9-7.2 GHz (x2 Rev. Pol. SMA-plug)	\$305.30
MM	GPS/GNSS	CVW502-2C2C2J2C-BLK-120	Global CVW MultiBand MIMO Covert (5 cables) - 10 ft RG-174: 694-960/1710-2750 MHz (x2 SMA-plug), 2.4-2.5/4.9-6 GHz (x2 Rev. Pol. SMA-plug), GLONASS/GPS	\$182.90
MM	GPS/GNSS	CVW6402-2C2C2J2C-BLK-120	Global CVW MultiBand MIMO Covert (4 cables) - 10 ft RG-174: 694-960/1710-2750 MHz (x2 SMA-plug), 2.4-2.5/4.9-6 GHz (x1 Rev. Pol. SMA-plug), GLONASS/GPS	\$156.10
MM	GPS/GNSS	CVW6302-2C2C-BLK-120	Global CVW MultiBand MIMO Covert (3 cables) - 10 ft RG-174: 694-960/1710-2750 MHz (x2 SMA-plug), GLONASS/GPS (1x SMA-plug)	\$129.10
MM	GPS/GNSS	LTB301-3C3C2C-GRY-18	4G/LTE 2x MIMO, LTE/LTE/GPS (3 cables) - 694-960/1710-2700 MHz (x2), LTE x2 = 18 inches LL-195 SMA-plug, GPS = 18 inches RG-174 with SMA-plug	\$242.05
MM	GPS/GNSS	LTB302-3C3C2C-GRY-18	4G/LTE 2x MIMO, LTE/LTE/GPS (3 cables) - 694-960/1710-4200 MHz (x2), LTE x2 = 18 inches LL-195 SMA-plug, GPS = 18 inches RG-174 with SMA-plug	\$242.05
MM	GPS/GNSS	LTB308-3C3C2C-GRY-18	NEW - Global 6-2-6 LTE Series 5G LTE/5G LTE/GNSS (3 cables) - 2x 5G Global LTE 617-960/1710-6000 MHz (x2 - 18 inches LL-195 SMA-plug) + GPS = 18 inches RG	\$254.45
MM	GPS/GNSS	LTB301-3C3C2C-GRY-18	4G/LTE 2x MIMO, LTE/LTE/GNSS (3 cables) - 694-960/1710-2700 MHz (x2), LTE x2 = 18 inches LL-195 SMA-plug, GLONASS/GPS = 18 inches RG-174 with SMA-plug	\$242.05
MM	GPS/GNSS	LTB302-3C3C2C-GRY-18	4G/LTE 2x MIMO, LTE/LTE/GNSS (3 cables) - 694-960/1710-4200 MHz (x2), LTE x2 = 18 inches LL-195 SMA-plug, GLONASS/GPS = 18 inches RG-174 with SMA-plug	\$242.05
MM	GPS/GNSS	LTB308-3C3C2C-GRY-18	NEW - Global 6-2-6 LTE Series 5G LTE/5G LTE/GNSS (3 cables) - 2x 5G Global LTE 617-960/1710-6000 MHz (x2 - 18 inches LL-195 SMA-plug) + GLONASS/GPS = 18	\$254.45
MM	GPS/GNSS	LTM601-3C3C3C3C2C-WHT-180	LTE/LTE/WIFI/WIFI/GPS (6 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x3), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$380.40
MM	GPS/GNSS	LTM501-3C3C3C3C2C-WHT-180	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$333.40
MM	GPS/GNSS	LTM401-3C3C3C2C-WHT-180	LTE/LTE/WIFI/GPS (4 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$286.30
MM	GPS/GNSS	LTM301-3C3C2C-WHT-180	LTE/LTE/GPS (3 cables) - 694-960/1710-2170 MHz (x2), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$239.40
MM	GPS/GNSS	LTM702-3C3C3C3C2C-WHT-180	Global LTM Series (7cables) - 2x Global LTE 694-960/1710-3700 MHz, 4x WiFi 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$427.55
MM	GPS/GNSS	LTM602-3C3C3C3C2C-WHT-180	Global LTM Series (6cables) - 694-960/1710-3700 MHz (x2), 2.4-2.5/4.9-6 GHz (x3), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$380.40
MM	GPS/GNSS	LTM502-3C3C3C2C-WHT-180	Global LTM Series (5cables) - 694-960/1710-3700 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$333.40
MM	GPS/GNSS	LTM402-3C3C3C2C-WHT-180	Global LTM Series (4cables) - 694-960/1710-3700 MHz (x2), 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$286.30
MM	GPS/GNSS	LTM302-3C3C2C-WHT-180	Global LTM Series (3cables) - 694-960/1710-3700 MHz (x2), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$239.40
MM	GPS/GNSS	LTM508-3C3C3C2C-WHT-180	NEW-Global 6-2-6 LTM Series (5cables) - 2x Global LTE 617-960/1710-6000 MHz, 2x WiFi 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$360.35
MM	GPS/GNSS	LTM408-3C3C2C-WHT-180	NEW-Global 6-2-6 LTM Series (4cables) - 2x Global LTE 617-960/1710-6000 MHz, 3x WiFi 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$313.25
MM	GPS/GNSS	LTM308-3C3C2C-WHT-180	NEW-Global 6-2-6 LTM Series (3cables) - 2x Global LTE 617-960/1710-6000 MHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$266.30
MM	GPS/GNSS	LTM610-3C3C3C3C2C-WHT-180	Global LTM Series (6cables) - 2x Global LTE 694-960/1710-6000 MHz, 3x WiFi 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, 1x GPS 15 ft RG-174 SMA-plug	\$380.40
MM	GPS/GNSS	LTM604-3C3C3C3C2C-WHT-180	Global LTM Series (6cables) - 2x Global LTE 694-960/1710-3700 MHz, 2x WiFi 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA-plug, 2x GPS 15 ft RG-174 SMA-plug	\$380.40
MM	GPS/GNSS	LTM506-3C3C3C2C-WHT-180	Global LTM Series (5cables) - 2x Global LTE 694-960/1710-3700 MHz, 2x WiFiMax 3300-3800 MHz, 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$346.95
MM	GPS/GNSS	LTM505-3C3C3C2C-WHT-180	LTM Series 1x LTE 694-960/1710-2170 MHz + 3x WiFi + GPS (5 cables) - 2.4-2.5/4.9-6 GHz (x3), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$325.45
MM	GPS/GNSS	LTM504-3C3C3C2C-WHT-180	LTM Series 4x WiFi + GPS (5 cables) - 2.4-2.5/4.9-6 GHz (x4), 15 ft LL-195 SMA-plug, GPS 15 ft RG-174 SMA-plug	\$320.00
MM	GPS/GNSS	LTM503-3C3C3C2C-WHT-180	LTE/LTE/WIFI/IRIDIUM/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz, 15 ft LL-195 SMA, Iridium 15 ft LL-195 SMA, GPS 15 ft RG-174 SMA	\$349.65









MM	GPS/GNSS	<b>SMWG-UMB-003C2C-WHT-180</b>	2.4-2.485 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$139.95
MM	GPS/GNSS	<b>SMWG-305-3C002C-WHT-180</b>	694-894/1700-2700 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$153.30
MM	GPS/GNSS	<b>SMWG-UMB-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2.4-2.485 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$172.30
MM	GPS/GNSS	<b>SMWG-301-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$172.30
MM	GPS/GNSS	<b>SMWG-302-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 1700-2700 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$172.30
MM	GPS/GNSS	<b>SMWG-303-3C3C2C-WHT-180</b>	2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, 2.1-2.5/4.4-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$172.30
MM	GPS/GNSS	<b>SMWG-304-3C3C2C-WHT-180</b>	2400-2485 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$172.30
MM	GPS/GNSS	<b>SMWG-305-3C3C2C-WHT-180</b>	694-894/1700-2700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-306-3C3C2C-WHT-180</b>	2400-2485 MHz = 15ft LL-195 SMA, 3.0-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-307-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 3-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-308-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 824-894/1850-1990 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-309-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 880-960/1710-1880 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-310-3C3C2C-WHT-180</b>	450-470 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-311-3C3C2C-WHT-180</b>	Global SMW - 694-960/1710-3700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-312-3C3C2C-WHT-180</b>	Global SMW - 694-960/1710-3700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-313-3C3C2C-WHT-180</b>	2xD SRC + GLONASS/GPS, 5.8-6 GHz = 15ft LL-195 w/ SMA-plug, 5.8-6 GHz = 15ft LL-195 w/ SMA-plug, GLONASS/GPS = 15ft RG-174 w/ SMA-plug	\$181.60
MM	GPS/GNSS	<b>SMWG-314-3C3C2C-WHT-180</b>	Global SMW - 694-960/1710-3700 MHz = 15ft LL-195 SMA, D SRC 5.8-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$185.50
MM	GPS/GNSS	<b>SMWG-401-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-402-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-403-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$371.00
MM	GPS/GNSS	<b>SMWG-403-3C3C2C-WHT-180-SP266</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 220 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$371.00
MM	GPS/GNSS	<b>SMWG-404-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-405-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$267.70
MM	GPS/GNSS	<b>SMWG-406-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$242.05
MM	GPS/GNSS	<b>SMWG-407-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$344.15
MM	GPS/GNSS	<b>SMWG-408-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2500-2700 = 15ft LL-195 SMA, 2500-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-409-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-410-3C3C2C-WHT-180</b>	2.1-2.5/4.4-6 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-411-3C3C2C-WHT-180</b>	800-1250/1650-2700 MHz = 15ft LL-195 SMA, 824-894/1850-1990 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-412-3C3C2C-WHT-180</b>	694-894/1700-2700 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-413-3C3C2C-WHT-180</b>	694-894/1700-2700 = 15ft LL-195 SMA, 1700-2700 MHz = 15ft LL-195 SMA, 1700-2700 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-414-3C3C2C-WHT-180</b>	Global SMW - 694-960/1710-3700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$235.40
MM	GPS/GNSS	<b>SMWG-415-3C3C2C-WHT-180</b>	694-960/1710-2700 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA (X2)	\$220.70
MM	GPS/GNSS	<b>MGWG-UMB-3C002C-BLK-180</b>	Magnet Mount Antenna, 800-2700 MHz (15ft LL-195 SMA) & Active GLONASS/GPS (15ft RG-174 SMA)	\$164.10
MM	GPS/GNSS	<b>MGWG-UMB-003C2C-BLK-180</b>	Magnet Mount Antenna, WiFi 2.4-2.485 (15ft LL-195 SMA) & Active GLONASS/GPS (15ft RG-174 SMA)	\$164.10
MM	GPS/GNSS	<b>MGWG-305-3C002C-BLK-180</b>	Magnet Mount Antenna, 694-894/1700-2700 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$164.10
MM	GPS/GNSS	<b>MGWG-UMB-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2.4-2.485 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-301-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 800-1250/1650-2700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-302-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 800-1250/1650-2700 MHz = 15ft LL-195 SMA, 1700-2700 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-303-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, 2.1-2.5/4.4-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-304-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 2400-2485 MHz = 15ft LL-195 SMA, 2.41-2.5/4.4-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-305-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 694-894/1700-2700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-306-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 2400-2485 MHz = 15ft LL-195 SMA, 3.3-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-307-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 800-1250/1650-2700 MHz = 15ft LL-195 SMA, 3-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-308-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 800-1250/1650-2700 MHz = 15ft LL-195 SMA, 824-894/1850-1990 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-309-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 800-1250/1650-2700 MHz = 15ft LL-195 SMA, 880-960/1710-1880 MHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-311-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 694-960/1710-3700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-312-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 694-960/1710-3700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-313-3C3C2C-WHT-180</b>	Magnet Mount Antenna, DSRC 5.8-6 GHz = 15ft LL-195 w/SMA-plug, DSRC 5.8-6 GHz = 15ft LL-195 w/SMA-plug, GLONASS/GPS = 15ft RG-174 w/SMA-plug	\$205.80
MM	GPS/GNSS	<b>MGWG-314-3C3C2C-WHT-180</b>	Magnet Mount Antenna, 694-960/1710-3700 MHz = 15ft LL-195 SMA, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$196.35
MM	GPS/GNSS	<b>MGWG-401-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-402-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-404-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-405-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, 2400-2485 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$291.75
MM	GPS/GNSS	<b>MGWG-406-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-407-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-408-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 2500-2700 = 15ft LL-195 SMA, 2500-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-409-3C3C2C-BLK-180</b>	Mag, 800-1250/1650-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, 1700-2700 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-410-3C3C2C-BLK-180</b>	Mag, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-411-3C3C2C-BLK-180</b>	800-1250/1650-2700 = 15ft LL-195 SMA, 824-894/2850-1990 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	GPS/GNSS	<b>MGWG-414-3C3C2C-BLK-180</b>	Mag, 694-960/1710-3700 = 15ft LL-195 SMA, 2.4-2.5/4.9-6 = 15ft LL-195 SMA, 2.1-2.5/4.4-6 = 15ft LL-195 SMA, GLONASS/GPS = 15ft RG-174 SMA	\$259.55
MM	Mobile or Fixed Base	<b>DM2-3500-3C-WHT-12</b>	Surface Mount, 2.5 dBi antenna with 1 foot LL-195 pigtail, SMA-male, (3.4-3.7 GHz)	\$64.60
MM	Mobile or Fixed Base	<b>ECOM-3500-3C-BLK-120</b>	Dome Mag antenna, with 10 ft LL-195 cable, SMA-male (3.4-3.7 GHz)	\$86.10
MM	Mobile or Fixed Base	<b>MGM-3500-3C-BLK-120</b>	NEW - Echo Series Magnet Mount Antenna, 6 dBi, 10 feet LL-195 cable & SMA-male, (3.4-3.7 GHz)	\$225.95
MM	Mobile or Fixed Base	<b>ECOM9-3500-3C-BLK-120</b>	NEW - Echo Series Magnet Mount Antenna, 9 dBi, 10 feet LL-195 cable & SMA-male, (3.4-3.7 GHz)	\$241.70
MM	Mobile or Fixed Base	<b>MRM3-3500-3C-BLK-12</b>	New Compact Stud Mount, 1 foot LL-195 cable and SMA Male	\$64.60
MM	Mobile or Fixed Base	<b>ECOS6-3500-DN-BLK</b>	NEW - Spring/hole Mount Echo Series 6 dBi, direct N-jack (3.4 - 3.7 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$310.80
MM	Device	<b>PSTN2-3200S</b>	(MIN Order 250pc) Halfwave Device Antenna, SMA-male, (3.1-3.3 GHz) - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Device	<b>PSK3N-3500S</b>	Dual Band Halfwave Antenna, SMA-male connector, (3400-3700 MHz)	\$23.30
MM	Device	<b>PSK3N-3500T</b>	Dual Band Halfwave Antenna, TNC-male connector, (3400-3700 MHz)	\$23.30
MM	Fixed	<b>SCR10-3500-WHT</b>	Corner Reflector, 10 dBi, with N conn./mounting hardware, (3.40-3.70 GHz)	\$225.85
MM	Fixed	<b>YAG9-3500-3C-WHT-12</b>	NEW - Yagi, 9 dBi, 1 foot LL-195 with SMA-plug, Includes Standard Wall Mount, (3.40-3.70 GHz)	\$185.50
MM	Fixed	<b>PND8-3800-4X-WHT</b>	Quad-Polarization MIMO Directional Antenna, 4x4, 8dBi, 4x SMA-Jack Connectors, 3.4-4.2 GHz	\$465.35
MM	Fixed	<b>PS10-3500-120-GRY</b>	Sector Antenna, 120 degrees, 10 dBi, with N-fem. conn./mounting hardware, (3.4-3.7 GHz)	\$630.90
MM	Fixed	<b>PS12-3500-60-GRY</b>	Sector Antenna, 60 degrees, 12 dBi, with N-fem. conn./mounting hardware, (3.4-3.7 GHz)	\$645.70
MM	Fixed	<b>ECO6-3500-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-fem. conn./mounting hardware, (3.4-3.7 GHz)	\$183.25
MM	Fixed	<b>ECO6-3500-RN-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-male conn./NO mount hardware, (3.4-3.7 GHz)	\$183.25
MM	Fixed	<b>ECO9-3500-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-fem. conn./mounting hardware, (3.4-3.7 GHz)	\$235.50
MM	Fixed	<b>ECO9-3500-RN-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-male conn./NO mount hardware, (3.4-3.7 GHz)	\$235.50
MM	Fixed	<b>DOD7-3500-3C3C-BLK</b>	New - MIMO Omni, (3.4-3.7 GHz), 2 x LL-195 with SMA-plug (longer lead times apply - 4 weeks ARO)	\$470.50
MM	Fixed	<b>DOD7-3500-3C3C-BLK</b>	New - MIMO Omni, (3.4-3.7 GHz), 3 x LL-195 with SMA-plug (longer lead times apply - 4 weeks ARO)	\$518.35
MM	Mobile or Fixed Base	<b>ECOM6-4900-3C-BLK-120</b>	NEW - Echo Series Magnet Mount Antenna, 6 dBi, 10 feet LL-195 & SMA-male, (4.9-5.0 GHz)	\$202.85
MM	Mobile or Fixed Base	<b>DM2-4900-3C-WHT-12</b>	Surface Mount, 2.5 dBi antenna with 1 foot LL-195 pigtail, SMA-male, (4.4-6.0 GHz)	\$64.60
MM	Mobile or Fixed Base	<b>DM2-4900-3C-WHT-180</b>	Surface Mount, 2.5 dBi antenna with 15 foot LL-195 pigtail, SMA-male, (4.4-6.0 GHz)	\$98.55
MM	Mobile or Fixed Base	<b>RM3-4900-3C-BLK-12</b>	Surface Mount, 2.5 dBi antenna with 1 foot LL-195 pigtail, SMA-male, (4.4-6.0 GHz)	\$94.15
MM	Mobile or Fixed Base	<b>RM3-4900-DN-BLK</b>	Surface Mount, 2.5 dBi antenna with Direct N-female, (4.4-6.0 GHz)	\$97.65
MM	Mobile or Fixed Base	<b>RM3-4900-3C-BLK-180</b>	Surface Mount, 2.5 dBi antenna with 15 foot LL-195 pigtail, SMA-male, (4.4-6.0 GHz)	\$128.05
MM	Mobile or Fixed Base	<b>ECOS9-4700DN-BLK</b>	NEW - Spring/hole Mount Echo Series 9 dBi, Direct N-Jack (4.9 - 5.0 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$346.00
MM	Mobile or Fixed Base	<b>ECOS6-4900DN-BLK</b>	NEW - Spring/hole Mount Echo Series 6 dBi, Direct N-Jack (4.9 - 5.0 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$282.20
MM	Mobile or Fixed Base	<b>ECOS9-4900DN-BLK</b>	NEW - Spring/hole Mount Echo Series 9 dBi, Direct N-Jack (4.9 - 5.0 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$322.80
MM	Mobile or Fixed Base	<b>LTM603-3C3C3C3C3C-WHT-180</b>	MIMO Mobile, 6 x (2.4-2.5/4.9-6 GHz), 6 x 15 feet LL-195 with SMA-plug	\$360.35
MM	Mobile or Fixed Base	<b>NXD-W-7C4-BLK-12</b>	NEW - MIMO Low Profile Omni Antenna, 4x (2.4-2.5/4.9-6 GHz), 4x 12 inches LMR-100 with 4x SMA-plug	\$171.45
MM	Mobile or Fixed Base	<b>PR-NXD-W-71X4-BLK-12</b>	NFPA 130 - MIMO Low Profile Omni Antenna, 4x (2.4-2.5/4.9-6 GHz), 4x 12 inches LMR-100FR with 4x SMA-plug - 100 pc MOQ	\$243.00
MM	Mobile or Fixed Base	<b>LTM404-3C3C3C-BWT-180</b>	MIMO Mobile, 4 x (2.4-2.5/4.9-6 GHz), 4 x 15 feet LL-195 with SMA-plug	\$290.50
MM	Mobile or Fixed Base	<b>LTM404(32XB4)WHT-72-SP558</b>	MIMO Mobile, 4x(2.4-2.5/4.9-6 GHz), 4x6 ft LMR-195UF w/Amphenol R.A. N-Plugs (SP558=foam filled/potted base Bolt/Shoulder washer/2 Nuts/Amphenol Cor	\$685.30
MM	Mobile or Fixed Base	<b>SMD-W-3C3C3C-WHT-180</b>	MIMO Mobile, 3 x (2.4-2.5/4.9-6 GHz), 3 x 15 feet LL-195 with SMA-plug - High Vibration Model	\$239.40
MM	Mobile or Fixed Base	<b>SMD-W-3C3C3C-WHT-180</b>	MIMO Mobile, 3 x (2.4-2.5/4.9-6 GHz), 3 x 15 feet LL-195 with SMA-plug	\$205.80
MM	Mobile or Fixed Base	<b>SMD-W-3C3C-WHT-180</b>	MIMO Mobile, 2 x (2.4-2.5/4.9-6 GHz), 2 x 15 feet LL-195 with SMA-plug	\$173.10
MM	Mobile or Fixed Base	<b>MSMD-W-3C3C3C-WHT-180</b>	NEW - Prev. EDN268-1300 - MIMO MAGNETIC MOUNT Mobile, 3 x (2.4-2.5/4.9-6 GHz),	

MM	Mobile or Fixed Base	<b>DM2-5500-3C-WHT-12</b>	Low Profile Dome Antenna, 2 dBi antenna with 1 foot LL-195 pigtail, SMA-male, (5-6 GHz)	\$64.60
MM	Mobile or Fixed Base	<b>DM2-2400/5500-3C-WHT-12</b>	Low Profile Dome Antenna, 2 dBi antenna with 1 foot LL-195 pigtail, SMA-male, (2.4-2.5/4.9-6 GHz)	\$71.50
MM	Mobile or Fixed Base	<b>MGD-2400/5500-3C-BLK-120</b>	New Dome Mag Mount Antenna, 2 dBi antenna with 10 foot LL-195 SMA-male, (2.4-2.5/4.9-6 GHz)	\$81.10
MM	Mobile or Fixed Base	<b>RM3-5500-3C-BLK-12</b>	Surface Mount 5 GHz Band 3 dBi Antenna with 1 foot LL-195 pigtail, SMA-male, (5.0-6 GHz)	\$94.15
MM	Mobile or Fixed Base	<b>RM3-5500-DN-BLK</b>	Surface Mount 5 GHz Band 3 dBi Antenna with Direct N-female, (5.0-6 GHz)	\$97.65
MM	Mobile or Fixed Base	<b>RM-WHF-3C-BLK-12</b>	Surface Mount Broad Band 3 dBi Antenna with 1 foot LL-195 pigtail, SMA-male, (1.7-6 GHz)	\$84.70
MM	Mobile or Fixed Base	<b>RM-WHF-DN-BLK</b>	Surface Mount Broad Band 3 dBi Antenna with Direct N-female (1.7-6 GHz)	\$97.65
MM	Mobile or Fixed Base	<b>MGRM-WHF-3C-BLK-120</b>	New Broadband Mag antenna, with 10 ft low loss LL-195 cable, SMA-male, (1.7-6 GHz)	\$141.25
MM	Mobile or Fixed Base	<b>MRM3-5500-3C-BLK-12</b>	Compact Stud Mount, 1 ft LL-195 cable and SMA Male (4.9-6 GHz)	\$64.60
MM	Mobile or Fixed Base	<b>MRM3-2400/5500-3C-BLK-12</b>	Compact Stud Mount Dual Band, 1 ft LL-195 cable and SMA Male (2.4-2.485/4.9-6 GHz)	\$64.60
MM	Mobile or Fixed Base	<b>MRM-UMB-3C-BLK-12</b>	Micro Broadband Dome Antenna, with 1 foot LL-195 pigtail, with SMA-male (1.7-6 GHz)	\$64.60
MM	Mobile or Fixed Base	<b>ECOS6-5500-DN-BLK</b>	NEW - Spring/hole Mount Echo Series 6 dBi, direct N-jack (5.0 - 6.0 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$263.30
MM	Mobile or Fixed Base	<b>ECOS9-5500-DN-BLK</b>	NEW - Spring/hole Mount Echo Series 9 dBi, direct N-jack (5.0 - 6.0 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$316.60
MM	Mobile or Fixed Base	<b>ECOS5-2400/5500-DN-BLK</b>	NEW - Spring/hole Mount Echo Series 5 dBi, direct N-jack (2.4 - 2.5/5.15-5.925 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$276.35
MM	Mobile or Fixed Base	<b>PSTN2-4500</b>	( MIN Order 250pc ) Halfwave Device Antenna, SMA-Plug, (4.4-4.7 GHz) - Longer lead times apply - 250 piece MOQ.	MIN Order 250pc
MM	Mobile or Fixed Base	<b>PSKN3-24/55S</b>	Dual Band Halfwave Antenna, SMA-plug connector, (2400-2485 MHz) plus (5000-6000 MHz)	\$23.30
MM	Mobile or Fixed Base	<b>PSKN3-24/55RS</b>	Dual Band Halfwave Antenna, Reverse SMA-plug connector, (2400-2485 MHz) plus (5000-6000 MHz)	\$26.00
MM	Mobile or Fixed Base	<b>PSKN4-W6E-5</b>	NEW - MultiBand WiFi 6E Halfwave Antenna, Knuckle Swivel SMA-plug connector, (2.4-2.5 / 5.15-5.85 / 6.125-7.125 GHz)	\$25.90
MM	Mobile or Fixed Base	<b>PSKN4-W6E-RS</b>	NEW - MultiBand WiFi 6E Halfwave Antenna, Knuckle Swivel Rev. Pol. SMA-plug connector, (2.4-2.5 / 5.15-5.85 / 6.125-7.125 GHz)	\$28.45
MM	Mobile or Fixed Base	<b>PSTN2-2400/5600</b>	Dual Band Halfwave Antenna, N Male (2400-2485 MHz) plus (5000-6000 MHz)	\$55.60
MM	Ceiling Mounted	<b>CLTM101-31V-WHT-12</b>	NEW - UHF Ceiling Mount, 420-470 MHz, 12 inches DAS195P cable with N-jack - Longer lead times apply.	\$282.40
MM	Ceiling Mounted	<b>CLTM301-9Y9Y-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x 3G/4G LTE (694-960/1710-2170 MHz), 2 x 12 inch LL-195FR with N-jack - Longer lead times apply.	\$188.25
MM	Ceiling Mounted	<b>CLTM401-9Y9Y9Y-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x 3G/4G LTE (694-960/1710-2170 MHz) + 1 x WiFi (2.4-2.5 / 4.9-6 GHz), 3 x 12 inch LL-195FR with N-jack - Longer lead times apply	\$201.60
MM	Ceiling Mounted	<b>CLTM501-9Y9Y9Y9Y-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x 3G/4G LTE (694-960/1710-2170 MHz) + 2 x WiFi (2.4-2.5 / 4.9-6 GHz), 4 x 12 inch LL-195FR with N-jack - Longer lead times apply	\$218.00
MM	Ceiling Mounted	<b>CLTM302-9Y9Y-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x Global LTE (694-960/1710-3700 MHz), 2 x 12 inch LL-195FR with N-jack - Longer lead times apply.	\$188.25
MM	Ceiling Mounted	<b>CLTM402-9Y9Y9Y-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x Global LTE (694-960/1710-3700 MHz) + 1 x WiFi (2.4-2.5 / 4.9-6 GHz), 3 x 12 inch LL-195FR with N-jack - Longer lead times apply	\$201.60
MM	Ceiling Mounted	<b>CLTM502-9Y9Y9Y9Y-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x Global LTE (694-960/1710-3700 MHz) + 2 x WiFi (2.4-2.5 / 4.9-6 GHz), 4 x 12 inch LL-195FR with N-jack - Longer lead times apply	\$215.10
MM	Ceiling Mounted	<b>CLTM603-31C1C31C31C31C31C-WHT-12</b>	NEW - MIMO Ceiling Mount, 6 x WiFi (2.4-2.5 / 4.9-6 GHz) - Longer lead times apply.	\$201.60
MM	Ceiling Mounted	<b>CMM-UMB-9C-WHT-12</b>	Universal Multiband Ceiling Mount Antenna, 1 ft LL-195FR pigtail, SMA-male connector, (750-1250/1650-2700 MHz)	\$126.10
MM	Ceiling Mounted	<b>CMD-2400-9C-WHT-6</b>	Ceiling Mount Omni Antenna, 2 dBi, with 6 inch LL-195FR pigtail, SMA-plug, (2.4-2.485 GHz)	\$82.90
MM	Ceiling Mounted	<b>CMD-3500-9C-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x ( 2.1-2.7 / 3.3-3.8 GHz ), 2 x 1 ft LL-195FR with SMA-plug	\$162.60
MM	Ceiling Mounted	<b>CMD-3500-9C9C9C-WHT-12</b>	NEW - MIMO Ceiling Mount, 3 x ( 2.1-2.7 / 3.3-3.8 GHz ), 3 x 1 ft LL-195FR with SMA-plug	\$193.30
MM	Ceiling Mounted	<b>CMD-5500-9C-WHT-6</b>	Ceiling Mount Omni Antenna, 3 dBi, with 6 inch LL-195FR pigtail and SMA-plug connector, (5-6 GHz)	\$82.80
MM	Ceiling Mounted	<b>CMD-2400/5500-9C-WHT-6</b>	Dual Band Ceiling Mount Omni Antenna, 6 inch LL-195FR pigtail and SMA-plug connector, (2.4-2.485/5-6 GHz)	\$87.60
MM	Ceiling Mounted	<b>CMD-W-9C9C-WHT-12</b>	NEW - MIMO Ceiling Mount, 2 x ( 2.4-2.5 / 4.9-6 GHz ), 2 x 1 ft LL-195FR with SMA-plug	\$150.00
MM	Ceiling Mounted	<b>CMD-W-9C9C9C-WHT-12</b>	NEW - MIMO Ceiling Mount, 3 x ( 2.4-2.5 / 4.9-6 GHz ), 3 x 1 ft LL-195FR with SMA-plug	\$163.05
MM	Fixed	<b>SCR13-4900-WHT</b>	Corner Reflector, 13 dBi, with N-fem. conn./mounting hardware, (4.6-5.0 GHz)	\$225.85
MM	Fixed	<b>PS14-4900-90-GRY</b>	Sector Antenna, 90 degrees, 14 dBi, with N-fem. conn./mounting hardware, (4.9-5.0 GHz)	\$622.40
MM	Fixed	<b>PS16-4900-60-GRY</b>	Sector Antenna, 60 degrees, 16 dBi, with N-fem. conn./mounting hardware, (4.9-5.0 GHz)	\$622.40
MM	Fixed	<b>PS18-4900-45-GRY</b>	Sector Antenna, 45 degrees, 18 dBi, with N-fem. conn./mounting hardware, (4.9-5.0 GHz)	\$637.70
MM	Fixed	<b>ECO9-4700-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-fem. conn./mounting hardware, (4.4-5.0 GHz)	\$281.05
MM	Fixed	<b>ECO9-4700RN-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-male conn./NO mount hardware, (4.4-5.0 GHz)	\$281.05
MM	Fixed	<b>ECO6-4900-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-fem. conn./mounting hardware, (4.9-5.0 GHz)	\$185.60
MM	Fixed	<b>ECO6-4900RN-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-male conn./NO mount hardware, (4.9-5.0 GHz)	\$185.60
MM	Fixed	<b>ECO9-4900-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-fem. conn./mounting hardware, (4.9-5.0 GHz)	\$212.45
MM	Fixed	<b>ECO9-4900RN-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-male conn./NO mount hardware, (4.9-5.0 GHz)	\$212.45
MM	Fixed	<b>ECO12-4900RN-WHT</b>	Eco Series Omni Site Antenna, 12 dBi w/ direct N-male conn./NO mount hardware, (4.9-5.0 GHz)	\$268.80
MM	Fixed	<b>ECOS-2400/5500-WHT</b>	WiFi 6E Eco Series Omni Site Antenna, 5 dBi w/ direct N-fem. conn./mounting hardware, (2.4-2.5/5.15-7.2 GHz)	\$172.30
MM	Fixed	<b>BD-5800-GRY</b>	NEW - 13 dBi WiFi Bi-Directional Blade Antenna, Direct N-Jack, 5.725-5.85 GHz - Longer lead times apply.	\$267.70
MM	Fixed	<b>SCR10-5250-WHT</b>	Corner Reflector, 10dBi, with N conn./mounting hardware, (5.15-5.35 GHz)	\$225.85
MM	Fixed	<b>SCR12-5725-WHT</b>	Corner Reflector, 12dBi, with N conn./mounting hardware, (5.725-5.83 GHz)	\$225.85
MM	Fixed	<b>SCR-2400/5500-WHT</b>	NEW - Dual Band Corner Reflector, with N conn./mounting hardware, (9 dBi @ 2.4-2.5 GHz, 12 dBi @ 4.9-6 GHz)	\$225.85
MM	Fixed	<b>PS11-5500-90-GRY</b>	Sector Antenna, 90 degrees, 11 dBi, with N-fem. conn./mounting hardware, (5.0-6.0 GHz)	\$622.40
MM	Fixed	<b>YAG8-W-3C-WHT-12</b>	NEW - Yagi, 8 dBi, 1 foot LL-195 with SMA-plug, Includes Standard Wall Mount, (2.4-2.485/4.9-6 GHz)	\$185.50
MM	Fixed	<b>YAG12-5500-3C-WHT-12</b>	NEW - Yagi, 1 foot LL-195 with SMA-plug, Includes Standard Wall Mount, (10 dBi 4.4-5.4 GHz & 12 dBi 5.47-6 GHz)	\$185.50
MM	Fixed	<b>PND8-2400/5500-2-GRY</b>	NEW - MIMO Sector, (2.4-2.485/4.9-6 GHz), 2 x direct SMA-jack	\$601.50
MM	Fixed	<b>PND8-2400/5500-3-GRY</b>	NEW - MIMO Sector, (2.4-2.485/4.9-6 GHz), 3 x direct SMA-jack	\$613.15
MM	Fixed	<b>PND10-2400/5500-16-WHT</b>	NEW - Quad-Polarization 802.11ac MIMO 6x6 8/10 dBi MIMO Panel, (2.4-2.485/4.9-6 GHz), 6 x directN-jack - Longer lead times apply.	\$671.85
MM	Fixed	<b>DODS-2400/5500-3C3C-BLK</b>	NEW - WiFi 6e MIMO Omni, (2.4-2.5/5.15-7.2 GHz), 2 x LL-195 with SMA-plug	\$389.85
MM	Fixed	<b>DODS-2400/5500-3C3C3C-BLK</b>	NEW - WiFi 6e MIMO Omni, (2.4-2.5/5.15-7.2 GHz), 3 x LL-195 with SMA-plug	\$430.15
MM	Fixed	<b>ECOS-2400/5500RN-WHT</b>	WiFi 6E Eco Series Omni Site Antenna, 5 dBi w/ direct N-male, conn./NO mounting hardware, (2.4-2.5/5.15-7.2 GHz)	\$164.50
MM	Fixed	<b>ECO6-5500-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-fem. conn./mounting hardware, (5-6 GHz)	\$143.70
MM	Fixed	<b>ECO6-5500RN-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-male conn./NO mount hardware, (5-6 GHz)	\$143.70
MM	Fixed	<b>ECO9-5500-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-fem. conn./mounting hardware, (5-6 GHz)	\$164.50
MM	Fixed	<b>ECO9-5500RN-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-male conn./NO mount hardware, (5-6 GHz)	\$164.50
MM	Fixed	<b>ECO12-5800RN-WHT</b>	Eco Series Omni Site Antenna, 12 dBi w/ direct N-male conn./NO mount hardware, (5.7-6.0 GHz)	\$392.70
MM	Fixed	<b>ECO6-5900-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-fem. conn./mounting hardware, (5.8-5.925 GHz)	\$181.05
MM	Fixed	<b>ECO6-5900RN-WHT</b>	Eco Series Omni Site Antenna, 6 dBi w/ direct N-male conn./NO mount hardware, (5.8-5.925 GHz)	\$181.05
MM	Fixed	<b>ECO9-5900-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-fem. conn./mounting hardware, (5.8-5.925 GHz)	\$201.60
MM	Fixed	<b>ECO9-5900RN-WHT</b>	Eco Series Omni Site Antenna, 9 dBi w/ direct N-male conn./NO mount hardware, (5.8-5.925 GHz)	\$201.60
MM	Fixed	<b>YAG12-5900-3C-WHT-12</b>	NEW - Yagi, 1 foot LL-195 with SMA-plug, Includes Standard Wall Mount, (12 dBi 5.8-5.925 GHz)	\$185.50
MM	Fixed	<b>PS10-5900-120-GRY</b>	Sector Antenna, 120 degrees, 10 dBi, with N-fem. conn./mounting hardware, (5.8-5.925 GHz)	\$622.40
MM	Fixed	<b>PS11-5900-90-GRY</b>	Sector Antenna, 90 degrees, 11 dBi, with N-fem. conn./mounting hardware, (5.8-5.925 GHz)	\$622.40
MM	Fixed	<b>PS12-5900-60-GRY</b>	Sector Antenna, 60 degrees, 12 dBi, with N-fem. conn./mounting hardware, (5.8-5.925 GHz)	\$622.40
MM	Fixed	<b>PS14-5900-45-GRY</b>	Sector Antenna, 45 degrees, 14 dBi, with N-fem. conn./mounting hardware, (5.8-5.925 GHz)	\$637.70
MM	Fixed	<b>PN18-5900PM-WHT</b>	NEW - 18 dBi DSRc Directional Panel with Pole/Tilt Mount, Direct N-Jack, 5.85-5.925 GHz - Longer lead times apply.	\$386.70
MM	Fixed	<b>PN18-5900WM-WHT</b>	NEW - 18 dBi DSRc Directional Panel with Wall/Tilt Mount, Direct N-Jack, 5.85-5.925 GHz - Longer lead times apply.	\$386.70
MM	Fixed	<b>BD-5900-GRY</b>	NEW - 13 dBi DSRc Bi-Directional Blade Antenna, Direct N-Jack, 5.85-5.925 GHz - Longer lead times apply.	\$267.70
MM	Fixed	<b>EDN300-100</b>	NEW - 13 dBi DSRc Bi-Directional Smart Highway DSRc Antenna, Direct N-Jack, 5.9-6 GHz - Longer lead times apply.	\$686.80
MM	Fixed	<b>MXF-5900-3C3C2C-BLK-180</b>	NEW - MaxFin 2xDSRC + GPS Through Hole Mount Antenna, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, GPS = 15ft f	\$295.85
MM	Fixed	<b>MXFG-5900-3C3C2C-BLK-180</b>	NEW - MaxFin 2xDSRC + GLONASS/GPS Through Hole Mount Antenna, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, G	\$295.85
MM	Fixed	<b>MMXF-5900-3C3C2C-BLK-180</b>	NEW - MaxFin 2xDSRC + GPS Mag Mount Antenna, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, GPS = 15ft RG-174 w/	\$306.55
MM	Fixed	<b>MMXFG-5900-3C3C2C-BLK-180</b>	NEW - MaxFin 2xDSRC + GLONASS/GPS Mag Mount Antenna, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, 5850-5925 MHz = 15ft LL-195 w/ SMA-plug, GLONASS/	\$306.55
MM	Fixed	<b>SMW-313-3C3C2C-WHT-180</b>	2xDSRC +GPS Through Hole Mount Antenna, 5.8-6 GHz = 15ft LL-195 w/ SMA-plug, 5.8-6 GHz = 15ft LL-195 w/ SMA-plug, GPS = 15ft RG-174 w/ SMA-plug	\$181.60
MM	Fixed	<b>MGW-313-3C3C2C-WHT-180</b>	2xDSRC +GPS Magnet Mount Antenna, 5.8-6 GHz = 15ft LL-195 with SMA-plug, 5.8-6 GHz = 15ft LL-195 with SMA-plug, GPS = 15ft RG-174 with SMA-plug	\$205.80
MM	Fixed	<b>SMW-314-3C3C2C-WHT-180</b>	Global SMW - 694-960/1710-3700 MHz = 15ft LL-195 SMA, DSRc 5.8-6 GHz = 15ft LL-195 SMA, GPS = 15ft RG-174 SMA	\$185.50
MM	Fixed	<b>SMW-303-3C002C-WHT-180</b>	2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GPS = 15ft RG-174 SMA	\$139.95
MM	Fixed	<b>SMW-303-3C3C2C-WHT-180</b>	2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, 2.1-2.5/4.4-6 GHz = 15ft LL-195 SMA, GPS = 15ft RG-174 SMA	\$172.30
MM	Fixed	<b>MGW-303-3C002C-BLK-180</b>	Magnet Mount Antenna, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, GPS = 15ft RG-174 SMA	\$164.10
MM	Fixed	<b>MGW-303-3C3C2C-BLK-180</b>	Magnet Mount Antenna, 2.4-2.5/4.9-6 GHz = 15ft LL-195 SMA, 2.1-2.5/4.4-6 GHz = 15ft LL-195 SMA, GPS = 15ft RG-174 SMA	\$196.35
MM	Fixed	<b>ECOS6-5900DN-BLK</b>	NEW - Spring/hole Mount Echo Series 6 dBi, Direct N-Jack (5.8-5.925 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$293.05
MM	Fixed	<b>ECOS9-5900DN-BLK</b>	NEW - Spring/hole Mount Echo Series 9 dBi, Direct N-Jack (5.8-5.925 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$311.95
MM	Fixed	<b>ECOS12-5900DN-BLK</b>	NEW - Spring/hole Mount Echo Series 12 dBi, Direct N-Jack (5.8-5.925 GHz) - Cable Assembly Sold Separately - Longer lead times apply.	\$373.80
MM	Fixed	<b>SM6-5900/1575-3C2C-BLK-180</b>	NEW - DSRc 6 dBi + GPS Surface Mount Antenna, 5850-5930 MHz = 15 feet LL-195 with SMA-plug, GPS = 15 feet RG-174 with SMA-plug	\$1919.10
MM	Fixed	<b>MAG6-5900/1575-3C2C-BLK-120</b>	NEW - DSRc 6 dBi + GPS Magnetic Mount Antenna, 5850-5930 MHz = 15 feet LL-195 with SMA-plug, GPS = 15 feet RG-174 with SMA-plug	\$212.45
MM	Fixed	<b>IW-5900/1575-7C2C-BLK-12</b>	NEW - DSRc 6 dBi + GPS Glass Mount Antenna, 5850-5930 MHz = 12 inches LMR-100 with SMA-plug, GPS = 12 inches RG-174 with SMA-plug	\$113.05
MM	Fixed	<b>IW-5900-7C-BLK-12</b>	NEW - DSRc 6 dBi Glass Mount Antenna, 5850-5930 MHz = 12 inches LMR-100 with SMA-plug	\$56.55
MM	Embedded	<b>EM-900/2400-0R0R-6</b>	NEW - Dual Feed Embedded Flexible ISM Antenna, 2 dBi, 863-928/2400-2500 MHz, 2x 6 inches RG-178 cables with U.FL	\$39.05
MM	Embedded	<b>EM-LTE-2C-12</b>	NEW - Embedded Flexible LTE PCB Antenna, 2 dBi, 695-960/1710-2700 MHz, 12 inches RG-174 with SMA-plug	\$23.75
MM	Embedded	<b>EM-700/2700-2C-6</b>	NEW - Embedded Flexible LTE PCB Antenna, 0 dBi 694-960, 2.5 dBi 1710-2750 MHz, 6 inches RG-174 with SMA-plug	\$16.20
MM	Embedded	<b>EM-UMB-2C-6</b>	Embedded Broadband Cellular Antenna, 824-960/1500-2200 MHz, 6 inches RG-174 with SMA-plug	\$21.10
MM	Embedded	<b>EM-UMB-7C-6</b>	Embedded Broadband Cellular Antenna, 824-960/1500-2200 MHz, 6 inches LMR-100 with SMA-plug	\$23.65
MM	Embedded	<b>EM-UMB-0R-6</b>	Embedded Broadband Cellular Antenna, 824-960/1500-2200 MHz, 6 inches RG-178 with U.FL	\$21.10
MM	Embedded	<b>EM-900/1900-2C-6</b>	Embedded Dual Band Cellular Antenna, 824-894/1850-1990 MHz, 6 inches RG-174 with SMA-plug	\$21.65
MM	Embedded	<b>EM-900/1900-7C-6</b>	Embedded Dual Band Cellular Antenna, 824-894/1850-1990 MHz, 6 inches LMR-100 with SMA-plug	\$24.35
MM	Embedded	<b>EM-900/1900-0R-6</b>	Embedded Dual Band Cellular Antenna, 824-894/1850-1990 MHz, 6 inches RG-178 with U.FL	\$21.65
MM	Embedded	<b>EM-925/1800-2C-6</b>	Embedded Dual Band Cellular Antenna, 870-960/1710-1880 MHz, 6 inches RG-174 with SMA-plug	\$21.65

MM	Embedded	<b>EM-925/1800-7C-6</b>	EmbeddedDual Band Cellular Antenna, 870-960/1710-1880 MHz, 6 inches LMR-100 with SMA-plug	\$24.35
MM	Embedded	<b>EM-925/1800-OR-6</b>	EmbeddedDual Band Cellular Antenna, 870-960/1710-1880 MHz, 6 inches RG-178 with U.FL	\$21.65
MM	Embedded	<b>EM-2400/5500-2C-6</b>	Embedded Omni-Directional WiFi Antenna, 2.4-2.5/4.9-6 GHz, 6 inches RG-174 with SMA-plug	\$13.60
MM	Embedded	<b>EM-2400/5500-7C-6</b>	Embedded Omni-Directional WiFi Antenna, 2.4-2.5/4.9-6 GHz, 6 inches LMR-100 with SMA-plug	\$16.20
MM	Embedded	<b>EM-2400/5500-OR-6</b>	Embedded Omni-Directional WiFi Antenna, 2.4-2.5/4.9-6 GHz, 6 inches RG-178 with U.FL	\$13.60